Washroom Accessories





Integrated Solutions Partitions · Accessories · Lockers

TURN YOUR WASHROOM INTO A SHOWROOM WITH THE NEW ASI

Welcome to the new ASI—the world's leading manufacturer of commercial washroom accessories. So what makes ASI so unique? For starters, we offer the most comprehensive selection of washroom accessories available anywhere. And we offer them from one source. We design, engineer and manufacture all of our products to work together seamlessly. Welcome to choice, welcome to innovations, welcome to the new ASI.

How to use this brochure:

This brochure offers three ways to navigate our comprehensive portfolio of washroom accessories:

- Navigate by collections—a family of complementary-designed products, see pages 6 & 7.
- Navigate by specific product category, see pages 8 & 9.
- 3 Navigate the index by product category or model number, see pages 94 & 95.



SO WHY CHOOSE US? THE ANSWER IS SIMPLE

Only ASI designs, engineers and manufactures fully integrated washroom accessories, partitions and lockers from one source.

A wide variety of – baby safe solutions

Tested with up to 350 lb. load capacity—the highest in the industry.

Endless options in lockers

A wide range of colors and materials including steel, solid plastic and phenolic.

From towel dispensers to hand dryers and much more

ASI offers the largest collection of hand dryers, paper towel dispensers and washroom accessories in the industry.

1 No other manufacturer can do it all—it's that simple

Only ASI offers the most complete collection of products for the modern washroom.

2 Stability—peace-of-mind one warranty

Why juggle multiple manufacturers' warranties when you can have just one? With ASI you have the peace of mind that comes with dealing with a leader.

The industry's most cutting-edge soap dispensers

From single dispensers to multi-feed systems, only ASI offers the easiest soap dispensers to install and maintain.

A wide array of mirror options

ASI offers mirrors for every application. Choose from channel frame, frameless, angle frame and tilting mirrors.

And much, much more

This is just the beginning of what ASI has to offer. And if you need a product you don't see here, just call us at 914.476.9000 or visit www.asigroup.us

Technology innovations— ASI Access

Our 24/7 Customer Service Tool to create and track orders; to enter quotes and convert quotes to orders and to view invoices.

Shower seats

A wide variety of folding and fixed shower seats that are easy to install and meet ADA safety standards.

5 For discerning customers with prestigious projects

Our washroom accessories are featured in some of the world's most prominent projects. Whether you are in the AT&T Stadium in Dallas or the NYU dormitory in Abu Dhabi, chances are you've seen ASI.

3 Our innovations come from listening to your needs

At a recent professional sports complex, an architect wanted a specific product. We customized and delivered hundreds of one-of-a-kind soap dispensing systems to meet their deadline.

> We are laser focused on delivering you exactly what you need—when you need it. Visit americanspecialties.com and view our Never Out Program.

The latest collection of partitions

ASI offers the most comprehensive collection of plastic, plastic laminate, powder coated, phenolic and stainless steel partitions from one source. OUR COLLECTIONS

FOUR DISTINCT COLLECTIONS **TO MATCH ANY AESTHETIC** AND PERFORMANCE NE ED





2 Profile Collection

This visually appealing collection with rounded edges is manufactured with highly durable 16 gauge stainless steel doors and 20 gauge cabinets. Concealed heavy-duty 3/16" (5 mm) diameter piano hinges ensure smooth and long-lived operation, and rimless keyed-alike flush tumbler locks offer strong security with an elegant look.

Roval[™] Collection

This elegant, durable and exceptionally functional collection is engineered for high-profile settings. Subtle curves, one-piece seamless doors and flush tumbler locks, along with fully removable waste cans, strong hinges, an integral locking system and easy installation, make this collection ideal for the most aesthetically demanding applications.

While ASI offers hundreds of individual accessories, we have simplified the specifying process with our four distinct collections to serve your project's individual needs. And each of our four collections was designed as a suite of products that complement one another. Welcome to aesthetics and function in perfect harmony. Welcome to the new ASI.



3 Simplicity Collection

This elegant collection combines seamless construction and crisp design lines to provide strength and comfort, beauty and durability, form and function. 18 gauge doors and 20 gauge cabinets conceal heavy-duty ³/₁₆" (5 mm) diameter piano hinges. All units are keyed alike.



4 Traditional Collection

The traditional collection has easily passed the test of time. These high-value products feature 22 gauge double-pan doors incorporating a "no-flex" structural fiberboard core. 22 gauge cabinets, heavy-duty ¾6" (5 mm) diameter piano hinges and keyed-alike tumbler locks complete this broad product line.



WELCOME TO THE SINGLE LARGEST COLLECTION OF WASHROOM ACCESSORIES ANYWHERE—BAR NONE

Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered and manufactured everything you need from one source? Welcome to integrated solutions. Welcome to the new ASI.



Hand Dryers





Specialty Accessories



Soap Dispensers



Feminine Hygiene Vendors and Disposals



Toilet Tissue Dispensers



Our Paper Towel Dispensers, Waste Receptacles and Combination Units can be found within our four collections on pages 10–41.



Grab Bars



Baby Changing Stations



Custodial Accessories



Hospitality Accessories



Shower/Tub Accessories



Shelves



Healthcare Accessories



Security Accessories



SHOWN: 20469 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



Roval[™] Collection


Engineered for high-profile settings, this collection adds elegance, durability and exceptional functionality to any washroom without becoming the focal point. This collection is ideal for the most aesthetically demanding applications. All features are functionally superior, quickly installed and easily maintained.

WHAT MAKES THE ROVAL™ COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Our collection is constructed of stainless steel, which is tough, durable, stain-resistant and easy to clean.



INTEGRAL LOCKING SYSTEM

Our durable, integral locking system prevents tampering and theft.



STAKED PIANO HINGES

Our heavy-duty, staked piano hinges provide security and a neat appearance, and they stand up to heavy use.



REMOVABLE WASTE RECEPTACLE

Fully removable waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

ROVAL[™] COLLECTION



MANUAL AND AUTOMATIC PAPER TOWEL/ TOILET TISSUE DISPENSERS



MIRRORS



AUTOMATIC HAND DRYERS





204623 RECESSED PAPER TOWEL DISPENSER AND **REMOVABLE WASTE RECEPTACLE**

Dispenses 350 C-fold, 475 multi-fold paper towels. 3.0 gal. (11.2 L) removable stainless steel waste receptacle with a tumbler lock. 22 gauge type 304 stainless steel door in a satin finish with a flush lock and a heavy-duty 3/16" staked piano hinge on door.

MODEL OPTION:

204623-9 Surface mounted with 9" stainless steel collar.

Unit Size: 12³/₄" x 28" x 6¹/₂" (325 x 710 x 165 mm) Wall Opening: 11¼" x 26⁷/₁₆" x 3¹⁵/₁₆" (286 x 672 x 100 mm)



20469 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 14.8 gal. (56 L) removable waste receptacle. Door made of 18 gauge type 304 stainless steel with a heavy-duty ³/₁₆" staked piano hinge.

MODEL OPTION:

20469-9 Surface mounted with 9" stainless steel collar.

Unit Size:

17³/₈" x 56¹/₁₆" x 9" (441 x 1424 x 228 mm)

Wall Opening: 15⁵/₈" x 54³/₈" x 4" (397 x 1381 x 102 mm)



204692A AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge type 304 stainless steel. 17.8 gal. (67.2 L) removable waste receptacle. Towel length is determined by owner by setting length, delay and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.

Unit Size: 17³/₈" × 56¹/₁₆" × 11¹¹/₁₆" (441 × 1424 × 297 mm) Wall Opening: 15¹³/₁₆" x 54¹¹/₁₆" x 10" (402 x 1389 x 254 mm)



2046921A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADAAG COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows unit to be ADA compliant. Internal shelf is ideal for paper towel storage. Towel length is determined by owner by setting length, delay and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.

Unit Size: 17³/₈" x 56¹/₁₆" x 11¹¹/₁₆" (441 x 1424 x 297 mm) Wall Opening: 15¹³/₁₆" x 54¹¹/₁₆" x 10" (402 x 1389 x 254 mm)





20826 SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge type 304 stainless steel with satin finish. Capacity 12.8 gal. (48.8 L).

MODEL OPTION:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.8 L).

Overall Dimensions: 15¹/₈" x 23" x 8¹/₂" (384 x 584 x 216 mm)



20458 SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance—removable stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Fabricated of 20 gauge type 304 stainless steel with satin finish.

Overall Dimensions: 17³/₈" x 27³/₄" x 8¹⁵/₁₆" (441 x 705 x 227 mm)



20852 SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty $\frac{4}{4}$ multi-staked concealed piano hinge. Cabinet front is formed seamless and capacity of the unit is 1 gal. (3.8 L).

Overall Dimensions: $7^{1}4'' \times 10'' \times 3^{1}6'''$

7¹/4" x 10" x 3¹/2" (185 x 253 x 89 mm)



20470 RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty $\%_4$ " staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge type 304 stainless steel with a satin finish. 1.0 gal. (3.8 L) waste capacity.

Overall Dimensions: 12¹³/₁₆" x 11" x 5⁷/₁₆" (325 x 280 x 138 mm)

R O V A L[™] C O L L E C T I O N



20452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Door fabricated of 18 gauge type 304 drawn one-piece stainless steel with satin finish. Door secured with $\frac{3}{16}$ " staked piano hinge and flush tumbler lock.

Overall Dimensions: $12^{3}/_{4}$ " x 28" x $5^{7}/_{16}$ " (324 x 711 x 137 mm)



204523A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish. Towel length is determined by owner by setting length, delay and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.

Overall Dimensions:

17³/₈" x 27³/₄" x 11¹¹/₁₆" (441 x 705 x 297 mm)



20210 PAPER TOWEL DISPENSER

Dispenses 400 C-fold or 525 multi-fold paper towels. Fabricated of 22 gauge type 304 stainless steel with satin finish. Fitted with tumbler lock and heavy-duty stainless steel staked piano hinge.

 $\begin{array}{l} \textbf{Overall Dimensions:} \\ 11^{1}\!/_{16}" \times 13^{9}\!/_{16}" \times 4^{7}\!/_{8}" \\ (281 \times 345 \times 124 \text{ mm}) \end{array}$



20030 SURFACE MOUNTED TWIN HIDE-A-ROLL TOILET TISSUE DISPENSER

Holds 2 rolls up to 5.25" (133 mm) diameter (double roll capacity 3600 sheets); top roll automatically drops in place when bottom roll is used up. Type 304 satin finish stainless steel cabinet and mechanism. Theft-resistant spindles with integral plated steel endpins.

MODEL OPTION:

20031 With flange for surface mounting.

Overall Dimensions:

6¹/₁₆" x 12¹/₈" x 6¹/₂" (154 x 308 x 165 mm)



15



6. 9013 RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and ADA-compliant unit reactives welled stanless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact-resistant plastic for easy cleaning. Its two part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with 9" stainless steel collar.

Closed:

Overall Dimensions:

Open: 37" x 25½" x 17¾"
 37" x 25½" x 17¾"
 37" x 25½" x ¾"

 (940 x 648 x 451 mm)
 (940 x 648 x 10 mm)

Wall Opening: 34¼" x 22¾" x 3¾" (870 x 578 x 95 mm)



9343 HORIZONTAL SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions:

7¹/₄" x 6¹/₂" x 3¹¹/₁₆" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



204684 RECESSED DUAL SANITARY NAPKIN AND TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door has 18 gauge type 304 satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION:

204684-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions:

17⁵/₁₆" x 27³/₄" x 5⁵/₈" (440 x 705 x 143 mm)



20477-SM SURFACE MOUNTED SEAT **COVER DISPENSER**

Dispenses 250 seat covers. Fabricated of 20 gauge type 304 stainless steel with a satin finish.

Overall Dimensions: 15³/₄" x 11" x 2³/₈" (400 x 280 x 60 mm)

R O V A L[™] C O L L E C T I O N



20199 ROVAL[™] RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Decibel Level: 69 dB-A @ 2M





20200 TRI-Umph™ HIGH-SPEED HAND DRYER

Satin look cover: ABS plastic with silver ions. Ergonomic no need to bend over or bend knees. Air blows down and back from vents above. No water splash-back. Ultra hygienic—over 99% of airborne bacteria is eliminated with the removable Triple HEPA Filter System. 5-year warranty. Optional voltages available.

MODEL OPTION: 20201 White finish.

Decibel Level: 65-69.8 dB-A @ 2M





20655 ROVAL[™] STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

The gently radiused edges provide added strength and complement the curves of the ASI Roval™ Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge type 304 stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Choice of sizes.

MODEL OPTION: 20650 Mirror without shelf.



20692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge type 304 stainless steel, the 6" wide shelf has a ¾" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval™ Collection. Choice of sizes.

Overall Dimensions: 6" x 12"-72" (152 x 305-1829 mm)



17

SHOWN: 9469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



Profile Collection


Manufactured with highly durable stainless steel doors and cabinets, this visually appealing collection with rounded edges stands the test of time. Its concealed hinges ensure smooth and long-lived operation, and its locks offer strong security.

WHAT MAKES THE PROFILE COLLECTION UNIQUE?




HEAVY-DUTY

Our 16 gauge stainless steel doors are attached to 20 gauge stainless steel cabinets with concealed ${}^{3}h_{e}^{*}$ (5 mm) diameter piano hinges to handle heavy use.



RIMLESS TUMBLER

Our rimless flush tumbler locks that are keyed alike provide convenience and security with an elegant look.



ROUNDED CORNERS

All doors have vertical edges rounded to a ³/4" (19 mm) radius with welded corners for strength and to ensure no sharp edges for safety.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

PROFILE COLLECTION



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES





PROFILE COLLECTION





÷.

9467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 900 multi-fold paper towels. 5 gal. (18.9 L) stainless steel waste receptacle.

MODEL OPTIONS:

94676 dispenses 1100 single-fold towels and has push door and 7 gal. (26.5 L) capacity.

9467

Unit Size: 13" x 55" x 5³/₁₆" (330 x 1397 x 132 mm)

94676

Unit Size: 13" x 55" x 7³/₁₆" (330 x 1397 x 183 mm)

Wall Opening: 11¹/₂" × 53¹/₂" × 4¹/₄" (292 × 1359 × 108 mm)

Wall Opening: 11¹/₂" x 53¹/₂" x 6¹/₄" (292 x 1359 x 159 mm)

94696A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 10 gal. (37.8 L) stainless steel waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]


A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.
94696: Mechanical lever dispenser.

Unit Size: 16¹/₁₆" x 41¹/₄" x 10¹¹/₁₆" (408 x 1048 x 272 mm)

ċ.

Wall Opening: 14⁵/8" x 39³/4" x 10" (371 x 1010 x 254 mm)





PROFILE COLLECTION







9471 PROFILE COLLECTION SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/₈" × 19⁵/₈" × 4¹⁵/₁₆" 9¹/₈" × 18¹/₈" × 4¹/₄" (270 x 498 x 125 mm) (232 x 460 x 108 mm)

Wall Opening:

9326 LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 52 fl. oz. (1.5 L).

Wall Opening:

Unit Size: 10¹/₄" x 6" x 7³/₁₆"

iz.

Spout Projection: 21/4" (57 mm)

9343 HORIZONTAL SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions: 7¹/4" x 6¹/2" x 3¹¹/₁₆" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)





iz.

9477 TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers.

MODEL OPTION: 9477-SM Surface mounted.

Wall Opening: Unit Size: 17¹/₄" × 12³/₄" × 3⁵/₁₆" 15³/₄" × 11¹/₄" × 2⁵/₈" (438 x 324 x 73 mm) (400 x 285 x 67 mm)



9030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 51/4" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions: 6" x 12" x 6¹/₄" (152 x 305 x 159 mm)



9031 RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to $5^{1/4}$ " (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions: 8" x 14" x 61/4" (203 x 356 x 159 mm) with flange for recessing



SHOWN: 6467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



Simplicity Collection


Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE SIMPLICITY COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Constructed with 18 gauge stainless steel doors and 20 gauge cabinets, which are attached with concealed ³/n^{er} (5 mm) diameter piano hinges for durability.



SEAMLESS ONE-PIECE COVER-ALL DOOR

The door is designed for a sleek and streamlined appearance, making it easy to maintain even with heavy use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

SIMPLICITY COLLECTION



PAPER TOWEL DISPENSERS



FEMININE HYGIENE VENDORS



SOAP DISPENSERS



25





6462 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 800 multi-fold, or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle.

MODEL OPTIONS:

6462-2 Semi-recessed with 2" stainless steel collar. 6462-9 Surface mounted with 9" stainless steel collar.

Unit Size: 17¹/4" x 54" x 6¹/2" (438 x 1372 x 165 mm)

Wall Opening: 15³/4" x 52¹/2" x 6" (400 x 1335 x 152 mm) 6 بلي

6467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 5 gal. (18.9 L) stainless steel waste receptacle.

MODEL OPTION:

6467-9 Surface mounted with 9" stainless steel collar.

Unit Size: 13" x 55" x 4³/4" (330 x 1397 x 121 mm)

Wall Opening: 11¹/₂" x 53¹/₂" x 4" (292 x 1359 x 102 mm)

SIMPLICITY COLLECTION





64676 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-Fold, 800 multi-fold or 1100 single-fold towels. 7 gal. (26.5 L) stainless steel waste receptacle.

MODEL OPTIONS:

64676-2 Semi-recessed with 2" stainless steel collar. 64676-9 Surface mounted with 9" stainless steel collar.

Unit Size: 13" x 55" x 6½" (330 x 1397 x 165 mm) Wall Opening: 11¹/₂" x 53¹/₂" x 6" (292 x 1359 x 152 mm)

ċ. 64672-1 RECESSED THREE-IN-ONE COMBINATION UNIT WITH HIGH-SPEED HAND DRYER

Paper towel dispenser with waste receptacle and < 15 second automatic hand dryer, dispenses 500 standard multi-fold or 400 standard C-fold paper towels with a waste capacity of 6.8 gal. (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. 110-120V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240V Dryer. 64672 Cabinet only - no hand dryer included.

Unit Size: 15³/₈" x 55³/₈" x 7¹/₂" 14³/₃₂" x 54³/₈" x 7¹/₄" (391 x 1407 x 191 mm) (358 x 1381 x 184 mm)

Wall Opening:

Decibel Level: 68.9-74.3 dB-A @ 2M







NEW 0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

Unit Size: 12⁵/₈" × 15³/₄" × 5⁴/₁₆" (320 × 400 × 140 mm)

6

Decibel Level: 66 dB-A @ 2M



Wall Opening:

0134 TURBO-TUFF FULLY RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, operates automatically using infrared sensor with auto-resetting thermostat. Owneradjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Wall Opening: $12^{5}/_{16}$ " x $15^{3}/_{16}$ " x $3^{7}/_{8}$ " Unit Size: $12^{19}/_{32}$ " x $15^{3}/_{4}$ " x $4^{1}/_{16}$ " (320 x 400 x 103 mm) (313 x 386 x 98 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



64623 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) stainless steel waste receptacle.

MODEL OPTION:

 $14^{1}/_{4}$ " x 28" x 4 $^{3}/_{4}$ "

(362 x 711 x 121 mm)

Unit Size:

64623-9 Surface mounted with 9" stainless steel collar.

> Wall Opening: 12³/₄" × 26¹/₂" × 4¹/₄" (324 x 673 x 108 mm)



SIMPLICITY COLLECTION





NEW 645210A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch recessed unit dispenses an owner-adjustable length per cycle from 8" (205 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 20 gauge stainless steel with satin finish.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 645210: Mechanical lever dispenser.

Unit Size:

16³/₅₀" x 28" x 9" (408 x 711 x 229 mm) (400 x 673 x 260 mm)

Wall Opening: 15³/4" × 26¹/2" × 10¹/4"

64696 ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in pre-set lengths of 21/2", 4" or 5" (65, 100 or 125 mm) per stroke. 8.6 gal. (32.6 L) stainless steel waste receptacle.

MODEL OPTIONS:

ċ.

64696-6 Semi-recessed with 6" stainless steel collar. 64696-9 Surface mounted with 9" stainless steel collar.

Unit Size: Wall Opening: $\begin{array}{cccc} 16^{1}{}_{/16}^{\rm "} \times 41^{1}{}_{/4}^{\rm "} \times 9^{5}{}_{/8}^{\rm "} & 14^{5}{}_{/8}^{\rm "} \times 39^{3}{}_{/4}^{\rm "} \times 9^{1}{}_{/4}^{\rm "} \\ (408 \times 1048 \times 245 \mbox{ mm}) & (371 \times 1010 \times 235 \mbox{ mm}) \end{array}$ 64696A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 8.6 gal. (32.6 L) stainless steel waste receptacle.

SUFFIX OPTIONS FOR **POWER/MOUNTING:** [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 64696: Mechanical lever dispenser.

Unit Size: 16¹/₁₆" x 41¹/₄" x 10¹/₄"

Wall Opening: 14⁵/8" x 39³/4" x 10" (408 x 1048 x 261 mm) (371 x 1010 x 254 mm)








6457 PAPER TOWEL DISPENSER

Well-suited for the smaller washroom with less space and traffic, this unit dispenses 350 C-fold or 475 multi-fold paper towels.

Unit Size: 12³/₄" × 17¹/₄" × 4¹/₂" (324 × 438 × 114 mm)

Wall Opening: 11¹/4" x 15³/4" x 4¹/4" (286 x 400 x 108 mm)





Dispenses 600 C-fold or 800 multi-fold paper towels.

MODEL OPTION:

ċ.

6452-9 Surface mounted with 9" stainless steel collar.

Unit Size: 14¹/₄" x 28" x 4¹/₂" (362 x 711 x 114 mm) Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)



6459 WASTE RECEPTACLE ċ.

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening.

Unit Size: 14¹/₄" × 28" × 4¹/₂" (362 × 711 × 114 mm)

Wall Opening: 12³/4" x 26¹/2" x 4¹/4" (324 x 673 x 108 mm)



6474 WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials.

MODEL OPTION:

6474-2 Semi-recessed with 2" stainless steel collar. **Unit Size:** 17¹/₄" × 40" × 6³/₄" (438 × 1016 × 171 mm)

Wall Opening: 15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)

SIMPLICITY COLLECTION






6468 SIMPLICITY COLLECTION DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25ϕ , 50ϕ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F). Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17¹/₄" × 27¹/₄" × 6¹/₂" (438 × 692 × 165 mm) Wall Opening: 16" x 26" x 6¹/₄" (406 x 660 x 159 mm)



Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/8" × 19⁵/8" × 4¹/2" (270 × 498 × 114 mm) Wall Opening: 91/8" × 181/8" × 4" (232 × 460 × 102 mm)





6477 TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers.

Unit Size: 17¹/₄" x 12³/₄" x 2⁷/₈" (438 x 324 x 73 mm) Wall Opening: 15³/₄" x 11¹/₂" x 2¹/₂" (400 x 292 x 64 mm)



6326 LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 52 fl. oz. (1.5 L).

Unit Size: 10¹/4" × 6" × 6⁵/8" (260 × 152 × 168 mm) **Wall Opening:** 9" x 4⁷/₈" x 4" (229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)



31

SHOWN: 0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



Traditional Collection


This time-honored collection provides exceptional value, offering a broad array of items for wellequipped washrooms. Double-pan doors incorporate a "no-flex" structural fiberboard core. Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE TRADITIONAL COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Fabricated with 22 gauge stainless steel with face trim, the recessed cabinet features one-piece construction with no miters or welding for durability.



DOUBLE-PAN DOORS

The double-pan doors incorporate a "no-flex" structural fiberboard core, adding strength and endurance for long-term use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

TRADITIONAL COLLECTION



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES



33





0462-AD PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle.

MODEL OPTION:

0462-AD-9 Surface mounted with 9" stainless steel collar.

Unit Size: 14¹/₁₄" x 28" x 4¹/₄" (362 x 711 x 108 mm) Wall Opening: 12³/₄" × 26¹/₂" × 4" (324 × 673 × 102 mm)



0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

MODEL OPTIONS:

0469-2 Semi-recessed with 2" stainless steel collar. 0469-9 Surface mounted with 9" stainless steel collar. 0469-BL 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

Unit Size: 17¹/₄" × 56" × 4¹/₄" (438 x 1422 x 108 mm)

Wall Opening: 15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)

TRADITIONAL COLLECTION





04697 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

MODEL OPTIONS:

04697-4 Semi-recessed with 4" stainless steel collar. 04697-9 Surface mounted with 9" stainless steel collar. 04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

Unit Size: 17¹/₄" × 56" × 7¹/₄" (438 × 1422 × 184 mm) Wall Opening: 15³/₄" x 54¹/₂" x 7¹/₄" (400 x 1384 x 184 mm)

04692A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.
04692: Mechanical lever dispenser.

Unit Size: 17¹/₄" × 56" × 10¹/₄" (438 × 1422 × 260 mm)

Ġ.

Wall Opening: 15³/₄" x 54¹/₂" x 10" (400 x 1384 x 254 mm)







0467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 6 gal. (22.7 L) stainless steel waste receptacle.

MODEL OPTIONS:

0467-2 Semi-recessed with 2" stainless steel collar. 0467-9 Surface mounted with 9" stainless steel collar.

Unit Size: 13" x 55" x 6¹/₂" (330 x 1397 x 165 mm)

Wall Opening: 11¹/₂" x 53¹/₂" x 6¹/₄" (292 x 1359 x 159 mm)



NEW 046926 SEMI-RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE CABINET

Dispenses single full width cut towel 12" (305 mm) long from pull-towel autocut dispenser. With manual override feed wheel on the side of the cabinet.

Unit Size: 17¹/₄" × 56" × 9¹/₄" (438 × 1422 × 235 mm)

Wall Opening: 15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)

TRADITIONAL COLLECTION





046921A AUTOMATIC RECESSED ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.
046921: Mechanical lever dispenser.

Unit Size: 17¹/₄" × 56" × 10¹/₄" (438 × 1422 × 260 mm)

Ġ.

Wall Opening: 15³/₄" x 54¹/₂" x 10¹/₄" (400 x 1384 x 260 mm)

046924A AUTOMATIC RECESSED ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 mm) long rolls. 12 gal. (45.4 L) waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.
046924: Mechanical lever dispenser.

Unit Size: 17¹/4" × 56" × 10¹/4" (438 × 1422 × 260 mm)

ċ.

Wall Opening: 15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)





Dispenses 350 C-fold or 500 multi-fold

washrooms with less space and traffic.

Wall Opening:

paper towels; well-suited for smaller

12³/₄" × 17¹/₄" × 4¹/₄" 11¹/₄" × 15³/₄" × 4"

(324 x 438 x 108 mm) (286 x 400 x 102 mm)

0457-9 Surface mounted with 9"

MODEL OPTION:

Unit Size:

stainless steel collar.



0457 PAPER TOWEL DISPENSER 0452 PAPER TOWEL DISPENSER

> Dispenses 600 C-fold or 800 multi-fold paper towels.

MODEL OPTION: 0452-9 Surface mounted with 9" stainless steel collar.

Unit Size: Wall Opening: 14¹/₄" x 28" x 4¹/₄" 12³/₄" x 26¹/₂" x 4" (326 x 711 x 108 mm) (324 x 673 x 102 mm)



045224A AUTOMATIC ROLL PAPER TOWEL DISPENSER

Pre-set length dispensed from 8" or 9" wide rolls.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 045224: Mechanical lever dispenser.

Unit Size: 17¹/4" x 30¹/2" x 10¹/4" (438 x 775 x 260 mm)

Wall Opening: 15³/4" x 29" x 4' (400 x 737 x 102 mm)

0

045210A RECESS MOUNTED AUTOMATIC ROLL PAPER TOWEL DISPENSER

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

ċ.

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar.

Unit Size: Wall Opening: 17¹/4" x 28" x 10" 15³/₄" × 26¹/₂" × 10¹/₄" (438 x 711 x 254 mm) (400 x 673 x 260 mm)



0458 WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing.

MODEL OPTION:

Unit Size:

0458-9 Surface mounted with 9" stainless steel collar.

Wall Opening: 17¹/4" x 30¹/2" x 8"

15³/4" x 29" x (variable*) (440 x 775 x 203 mm) (400 x 740 mm)

"[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if ½" (13 mm) x 7½" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]

04733 WASTE RECEPTACLE


Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle.

6

Unit Size:	Wall Opening:					
14 ¹ / ₄ " x 28" x 4 ¹ / ₂ "	12 ³ / ₄ " x 26 ¹ / ₂ " x 4"					
(362 x 711 x 114 mm)	(324 x 673 x 102 mm)					

TRADITIONAL COLLECTION





Fabricated of 22 gauge stainless steel with satin finish, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.


Overall Dimensions: 11" x 14⁵%" x 4¹/₁₆" (279 x 368 x 103 mm)



0215 PAPER TOWEL DISPENSER—PETITE

Same as 0210 but reduced capacity to dispense 200 C-fold or 275 multi-fold paper towels; well-suited for low traffic areas.

Overall Dimensions: 11" x 8" x 4" (279 x 203 x 102 mm)



This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible.

Note for Designers: Leave 6" min. (152 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.







8522 ROLL PAPER TOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.

MODEL OPTIONS:

8523A Powered by 4 D-size batteries (not included). 8523AC Powered by AC plug-in adapter. 8523A-SR4 Semi-recessed with 4" stainless steel collar. 8523AC-SR4 Semi-recessed with 4" stainless steel collar.

Overall Dimensions:

14" x 16" x 9¹/₂" (356 x 406 x 241 mm)

8165 ROLL PAPER TOWEL DISPENSER

Holds standard paper towel roll up to 6" (150 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

Overall Dimensions:

Unit measures 13" (330 mm) wide; projects 4" (102 mm) from wall.

0245-SS PAPER TOWEL DISPENSER

Entirely fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

Overall Dimensions: $11^{1}/4^{"} \times 6^{1}/4^{"} \times 5^{5}/8^{"}$

(285 x 160 x 143 mm)







0828 WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; holds 6.7 gal. (25.4 L) of waste.

Overall Dimensions: 14" x 18" x 6"

÷.

÷.

(356 x 457 x 152 mm)



0825 WASTE RECEPTACLE

22 gauge stainless steel with satin finish; holds 17 gal. (64.4 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:

ċ.

0826 has 12 gal. (45 L) capacity with 15¼" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions: 15³/₄" x 21⁷/₈" x 11³/₄"

(400 x 556 x 298 mm)



0810 FREESTANDING WASTE ċ. RECEPTACLE

22 gauge stainless steel with satin finish; holds 14 gal. (54 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

MODEL OPTION:

0812 has 19 gal. (72 L) capacity with 13" x 38½" x 12¼" (330 x 978 x 311 mm) dimensions.

Overall Dimensions: 13" x 30¹/₂" x 12¹/₄" (330 x 775 x 311 mm)



0811 FREESTANDING OPEN WASTE

Same features as Model 0810 except

0813 has 19 gal. (72 L) capacity with 13" x 30" x 12¼" (330 x 762 x 311 mm)

RECEPTACLE

without top.

dimensions. **Overall Dimensions:** 13" x 22" x 12¼" (330 x 559 x 311 mm)

MODEL OPTION:



0827 WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions: 10¹/₂" x 9" x 4³/₄" (267 x 229 x 121 mm)



ċ.

0829 CORNER WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; capacity of 15.5 gal. (59 L) of waste.

Overall Dimensions: 15" x 23" x 14¹/₂" (381 x 584 x 368 mm)

TRADITIONAL COLLECTION





1002 COUNTER TOP MOUNTED PAPER TOWEL DISPENSER

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

Unit Size: 14¹/₄" × 6" × ³/₃₂" (362 × 152 × 2 mm) **Counter Opening:** 12¹/2" × 4¹/4" (318 × 108 mm)



1003 COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" x 12" x 12" (305 x 305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size: 14¹/₄" × 10" × ³/₃₂" (362 × 254 × 2 mm) **Counter Opening:** 12¹/₂" x 8³/₄" (318 x 222 mm)



41



TRI-*Umph*[™] High-Speed Hand Dryer

This state-of-the-art, ergonomic, high-speed hand dryer is ultra-hygienic with an outstanding filter system. With air blowing down from vents above, users dry their hands in under 12 seconds. This hand dryer allows users to triumph over germs with fast drying time in a comfortable, natural position without water splash-back. Easy to maintain, the TRI-*Umph*[™] high-speed hand dryer makes perfect sense to meet all washroom needs.

WHAT MAKES TRI-Umph™ UNIQUE?



HIGH SPEED YET QUIETER AND ENERGY EFFICIENT

The TRI-*Umph*™ high-speed hand dryers take less than 12 seconds to completely dry hands.

Low Decibel Level: 65-69.8 dB-A @ 2M



ERGONOMIC This unit is wall mounted at a comfortable height in order to permit a natural posture while drying the user's hands.





MOISTURE MANAGEMENT SYSTEM

Water blown from wet hands is pushed onto an absorbent and continuously evaporating ceramic plate, with any excess water channeled into a drip tray.



TRIPLE FILTER

Over 99% of airborne bacteria and particles as small as 0.3 microns are eliminated with this hand dryer's removable three-layer filter system.

TRI-*Umph*[™] HIGH-SPEED HAND DRYER 20200 SILVER AND BLACK 20201 WHITE

FEATURES

- Ultra-hygienic
- Energy efficient
- Quieter
- Fast drying
- Ceramic Evaporator Plate
 captures water droplets
- Drip Tray prevents puddles on the floor
- Easy to maintain
- Operating LED lights

ULTRA HYGIENIC-THREE-LAYER FILTER

- HEPA—to capture airborne PARTICLES
- Antimicrobial—to fight BACTERIA
- Activated charcoal—to fight ODOR
- Comes with an Antimicrobial ABS Cover with Silver Ions

DIMENSIONS

Unit size is 12¹¹/₁₆" x 22¹/₁₆" x 7³/₄" (322 x 560 x 196 mm)

Net weight: 19.8 lbs. (9 kg)

VARIABLE SETTINGS

- Air flow can be lowered
- Heat can be turned on or off
- Save energy
- Reduce noise
- Gain operating flexibility

Optional Voltage Available





White







GreenSpec*

LISTED

0198-93 TURBO-DRI™ Jr.

Powerful, fast drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Heavy-duty, one-piece-formed unit in white or satin stainless steel finish with 5-year warranty. Optional voltages available.

Overall Dimensions: 925/32" x 65/8" x 513/32

(248.3 x 168.2 x 137.5 mm)

Decibel Level: 66 dB-A @ 2M




20199 ROVAL™ RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Decibel Level: 69 dB-A @ 2M





0199-93 ASI TURBO-ADA ACCESSIBILITY COMPLIANT HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and automatic operation using infrared sensor with autoresetting thermostat. Owner-adjustable air speed & temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Optional voltages available.

Overall Dimensions: 10⁵/8" x 8¹⁵/32" x 4" (270 x 215 x 102 mm)



Decibel Level: 68.9-74.3 dB-A @ 2M



0197 TURBO-DRI™ HIGH-SPEED HAND DRYER

15

Fast drying, <12 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish. Optional voltages available.

GreenSpec

Decibel Level: 59-72 dB-A @ 2M

Overall Dimensions:

(205 x 287 x 180 mm)

81/16" x 1119/64" x 75/64

*ADA Compliant using Semi-Recessed Kit #0119



NEW 0198-MH SAFE-DRI™ MENTAL HEALTH **APPROVED HIGH-SPEED** HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments-angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

Unit Size:

Decibel Level:

66 dB-A @ 2M

Wall Opening: 12⁵/₈" x 15³/₄" x 5⁴/₁₆" (320 x 400 x 140 mm) 11⁷/₈" x 14³/₄" x 5¹/₈" (303 x 376 x 130 mm)





0134 TURBO-TUFF FULLY RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and operates automatically using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Unit Size: 12¹⁹/₃₂" x 15³/₄" x 4¹/₁₆" (320 x 400 x 103 mm)

12⁵/₁₆" x 15³/₁₆" x 3⁷/₈" (313 x 386 x 98 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



Wall Opening:

HAND DRYERS



0141 PORCELAIR HAND DRYER

Quick drying, ${<}30$ seconds, and no-touch, energy efficient operation. Dries both hands and face.

Overall Dimensions: 9⁷/₁₆" x 9⁴/₆₄" x 6³/₈" (240 x 245 x 162 mm)

Electrical Specifications: Motor: ¼ HP-3150 RPM - Brushless Air Output: 150 CFM - Temp 127° F (53° C)

Decibel Level: 60-66 dB-A @ 2M



64672-1 RECESSED THREE-IN-ONE COMBINATION UNIT WITH HIGH-SPEED HAND DRYER

Paper towel dispenser with waste receptacle and <15 second automatic hand dryer, dispenses 500 standard multi-fold or 400 standard C-fold paper towels with a waste capacity of 6.8 gal. (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. 110-120V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240V Dryer. 64672 Cabinet only – no hand dryer included.

Unit Size: 15³/₈" x 55³/₈" x 7¹/₂" (391 x 1407 x 191 mm) Wall Opening: 14³/₃₂" x 54³/₈" x 7¹/₄" (358 x 1381 x 184 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M







0185-93 PROFILE™ STEEL COVER WITH PORCELAIN ENAMEL FINISH

Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable.

Overall Dimensions: 14⁷/₁₆" x 10¹³/₁₆" x 3¹⁵/₁₆" (367 x 275 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M



0195 PROFILE™ CAST IRON COVER WITH PORCELAIN ENAMEL FINISH

Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable.

Overall Dimensions: 15³/₃₂" x 11⁷/₃₂" x 3¹⁵/₁₆" (383 x 285 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M







EZ Fill™ Soap Dispensing System

SHOWN: 0394-1AC EZ FILL™ AUTOMATIC VANITY MOUNTED FOAM SOAP DISPENSER

EZ FILL™ FEATURES

- Top-fill, expandable system
- Heavy-duty brass dispensers with chrome plated finish
- Counter-mounted port has an anti-theft cover
- Easy to use
- This EZ FILL™ system is electrically operated using batteries or alternating current
- Anti-Rotation Flange




Image shown with matching faucet available.

WHAT MAKES EZ FILL™ SOAP DISPENSING SYSTEM UNIQUE?



MULTI-FEED SYSTEM

Using infrared sensors, each of up to 6 automatic soap dispensers is fed by its own controllable peristaltic pump.



EASY REFILL

Using a single soap reservoir, this top-fill system allows refill of up to 6 soap dispensers with 1 pour-for easy ongoing maintenance.



UNIVERSAL REMOTE

Controls all dispensers with one remote, allowing flexibility in settings with a choice of 4 presets.



RANGE OF SIZES FOR ALL NEEDS

Holds 5 L of liquid soap to supply up to six (6) individual EZ FILL™ vanity mounted automatic soap dispenser units.

		I	NDIVIDUAL		MULTI-FEED SYSTEM (UP TO 6)					
				Individual vanity mounted automatic soap dispenser is refilled by removing 1 liter bottle from EZ FILL TM bracket under the counter.	The only top-fill soap dispensing system that can refill up to six soap dispensers with one pour.					
	Soap Heads	Individual		6 Pack SKU ¹	Soap Heads	Individual	6 Pack SKU ¹			
	0	Ÿ	0391-1AC	0391-6-1AC	\Diamond	7 0390-1AC	0390-6-1AC			
	LIQUID	H ²	0391-1A	0391-6-1A	LIQUID	1 ² 0390-1A	0390-6-1A			
3	B	Ÿ	0394-1AC	0394-6-1AC	B	7 0393-1AC	0393-6-1AC			
NEW	FOAM		0394-1A	0394-6-1A	FOAM	e ² 0393-1A	0393-6-1A			

TOP FILL, MULTI-FEED SYSTEM REQUIRES (A) AND (B)

(A) 0390 - Multi-Feed Kit³ - Kit³ includes a 5 Liter Soap Container, Top Fill Tube and Counter Fill Port with Cover

EZ FILL™ ACCESSORIES

0390-BR - Optional Under Counter Mounting Bracket for 5 Liter Container 0390-R - Remote Control¹ to adjust liquid dispensing settings

(B) Multi-Feed - Soap Dispenser Head(s)⁴

0390-ARK - Anti-Rotation Kit for all 0390 Series 0393-R - Remote Control¹ to adjust foam dispensing settings Stand Alone Dispensers come standard with I Liter soap container

¹ One Remote Control provided at no charge, with the 6 Pack SKU ² Powered by 6 D-size batteries (not included)

³ Kit does not include soap dispenser heads
 ⁴ Soap Dispenser Heads do not come with Multi-Feed Kit



47



20333 AUTOMATIC DECK MOUNTED

Constructed of polished type 304 stainless

steel on exposed surfaces. Powered by

indicate function, battery condition and

soap supply level on face front. Translucent

4 D-size batteries (not included). LEDs

SOAP DISPENSER



0362 AUTOMATIC SOAP DISPENSER

Stainless steel soap dispenser in satin finish with proximity sensor. Powered by 6 AA-size batteries (not included) and has tamper-resistant viewing window. Suitable for dispensing higher viscosity/antimicrobial soap. Capacity: 27 oz. (0.8 L) when using a disposable soap cartridge or 30 oz. (0.9 L) when using the refillable soap cartridge.

Overall Dimensions:

4¹³/₁₆" x 10⁵%" x 4¹/8" (122 x 270 x 105 mm)




0360 AUTOMATIC SOAP DISPENSER

Stainless steel soap dispenser in satin finish with proximity sensor. Powered by 6 AA-size batteries (not included) and has tamper-resistant viewing window, removable lid with special lock and key. Capacity: 35 fl. oz. (1 L).

Overall Dimensions: 4¹⁷/₃₂" x 9¹/₄" x 4⁷/₈" (115 x 235 x 124 mm)

in.





0326 RECESSED HORIZONTAL SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 52 fl. oz. (1.5 L) capacity.

 Unit Size:
 Wall Opening:

 10½" x 6" x 4½"
 9" x 4½" x 4"

 (260 x 152 x 115 mm)
 (229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)

tank. Capacity: 54 oz. (1.6 L) of liquid soap. Overall Dimensions: $4^* \times 21 \frac{1}{2}^*$

(102 x 546 mm) Spout Projection: 3⁷/₈" (99 mm)

EZ FILL™ SOAP DISPENSING SYSTEM



0332 LAVATORY MOUNTED ALL-PURPOSE SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

MODEL OPTIONS:

	Capacity	Spout
0332	34 oz. (1.0 L)	4" (102 mm)
0332-C	20 oz. (0.6 L)	4" (102 mm)
0332-CD	20 oz. (0.6 L)	6" (152 mm)
0332-D	34 oz. (1.0 L)	6" (152 mm)

Unit Size: 3⁷/₁₆" x 10²¹/₃₂" (87 x 271 mm)



0347 VERTICAL SOAP DISPENSER 0345 HORIZONTAL SOAP DISPENSER

40 fl. oz. (1.1 L) capacity soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant refill indicator.

Spout projection: 15/16" (24 mm)



9343 HORIZONTAL SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions:

7¹/₄" x 6¹/₂" x 3¹¹/₁₆" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



in 2

20365 AUTOMATIC FOAM SOAP DISPENSER

A foam drop is dispensed out of the nozzle on unit bottom each time its sensor is activated. Powered by 4 AA-size batteries (not included). Capacity: 34 oz. (1 L) of liquid foaming soaps within a wide range of viscosity.

Overall Dimensions: 5½" x 10¾" x 4" (139 x 273 x 102 mm)



20364 AUTOMATIC SOAP DISPENSER

Hands-free soap dispenser powered by 6 AA-size batteries (not included). Dispensing cycles adjustable with tamper-proof magnetic key. Seamless drawn type 304 stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).



ند 20363 SURFACE MOUNTED VERTICAL SOAP DISPENSER

Push button. Valve operation needs no more than 5 lbs. of pressure to actuate. Gently radiused edge complements the curves of the ASI Roval™ Collection. Capacity: 57 oz. (1.6 L).

Overall Dimensions: 5½" × 10¹³/16" × 4"

(140 x 274 x 101 mm)

Spout Projection: 15/16" (24 mm)





Mirrors

ASI provides mirrors for every location, application and budget—virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

SHOWN: 20650 ROVAL™ STAINLESS STEEL MIRROR

OPTIONAL REFLECTIVE SURFACES

SUFFIX DESCRIPTION:

- Tempered Glass 1/4" (6 mm) polished tempered glass В С
- Stainless Steel Mirrors Type 304 Stainless Steel polished to a #8 mirror finish Lexan Dura-Mir[™] Fabricated of ¼" (6 mm)
- D
- polycarbonate sheet Plexiglas® ¼" (6 mm) acrylic plastic, lightweight and shatter-resistant Е
- Laminated Glass 1/4" (6 mm) thick L

Note for Designers: All of the above glazing options are particularly suited to applications where frequent breakage and/or security problems exist. These surfaces are best specified for use in prisons, schools, police stations, psychiatric wards, etc., where shards of broken glass might provide a surface and the property of the surface and the might possibly be used as weapons. The reflective quality of these types of mirrors is not as true as plate glass.

STANDARD MIRROR SIZES												
Width x Height	0535	0537	0600	0600T	0605	0620	0625	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)												
16" x 24" (41 x 61 cm)												
16" x 30" (41 x 76 cm)												
18" x 24" (46 x 61 cm)					-							
18" x 30" (46 x 76 cm)												
18" x 36" (46 x 91 cm)												
20" x 60" (51 x 152 cm)												
24" x 24" (61 x 61 cm)												
24" x 30" (61 x 76 cm)												
24" x 36" (61 x 91 cm)					-							
24" x 42" (61 x 107 cm)												
24" x 48" (61 x 122 cm)												
24" x 60" (61 x 152 cm)												
24" x 72" (61 x 183 cm)												
30" x 36" (76x 91 cm)												
30" x 48" (76x 122 cm)												
36" x 36" (91x 91 cm)												
36" x 48" (91 x 122 cm)												
48" x 30" (122 x 76 cm)												
48" x 36" (122 x 91 cm)												
60" x 24" (152 x 61 cm)												
60" x 36" (152 x 91 cm)												
72" x 36" (183 x 91 cm)												

Custom sizes available upon request. Standard glazing is glass. See Optional Reflective surfaces above.





0535 FIXED TILT MIRROR

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.

8026 FRAMELESS STAINLESS STEEL MIRROR

Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a ¼" (6 mm) return. Provided with ¼" (6 mm) thick concealed tempered masonite backing and 4 mounting holes.



0600 ANGLE FRAME MIRROR

 $\frac{1}{2}$ x 5%" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one-piece, attached to frame with theft-resistant locking device.



0600T ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.



51

MIRRORS



0620 CHANNEL FRAME MIRROR

 $12^{\circ} \times 12^{\circ} \times 12^{\circ}$ (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft-resistant screws.



0605 ANGLE FRAME MIRROR WITH SHELF 0625 CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) wide.



20650 ROVAL[™] STAINLESS STEEL MIRROR 20655 ROVAL[™] STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

Gently radiused edges match the ASI Roval[™] design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror.



8287 FRAMELESS MIRROR

Frameless mirrors offer clean lines to complement every type of interior design and are easy to care for. One-piece can be up to 28 sq. ft. (2.6 m²), as long as either H or W dimension is less than $84^{"}$ (2134 mm). Mirrors larger than 28 sq. ft. (2.6 m²) or with either linear H or W dimension larger than $84^{"}$ (2134 mm) shall be supplied as multiple pieces. Made of $\frac{1}{4}^{"}$ polished plate glass.



Feminine Hygiene

ASI offers a wide range of feminine hygiene dispenser and disposal units, available as fully recessed, semi-recessed or surface mounted with various capacities. Type 304 stainless steel fabrication with satin finish on exposed surfaces and 18 gauge doors secured with concealed full length stainless steel hinges. Coin boxes are keyed separately from door lock for maximum security. Available for 25¢, 50¢ or free operation.

SHOWN: 0468 RECESSED SANITARY NAPKIN/TAMPON VENDOR





0464 RECESSED SANITARY NAPKIN TAMPON VENDOR

Dispenser includes two dispensing mechanisms, one for 27 tampons, the other for 30 feminine napkins. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm). Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION:

0864 Surface mounted.

Wall Opening: Unit Size:





6468 SIMPLICITY COLLECTION DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25ϕ , 50ϕ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F). Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: $17^{1}/_{4}$ " x $27^{1}/_{4}$ " x $6^{1}/_{2}$ " (438 x 692 x 165 mm)

Wall Opening: 16" x 26" x 6¹/₄" (406 x 660 x 159 mm)



53



0468 RECESSED SANITARY NAPKIN/ TAMPON VENDOR

Dispenses 30 napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTIONS:

ċ.

0468-2 Semi-recessed with 2" stainless steel collar. 04684 Designed for 4" (102 mm) wall. Dispenses 15 napkins, 23 tampons.

Unit Size: 17¹/₄" x 27¹/₄" x 6¹/₂"

Wall Opening: 16" x 26" x 6" (438 x 692 x 165 mm) (406 x 660 x 152 mm)



204684 RECESSED DUAL SANITARY NAPKIN & TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door has 18 gauge type 304 satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION:

204684-9 Surface mounted with 9" stainless steel collar.

Unit Size:

17⁵/₁₆" x 27³/₄" x 5⁵/₈"

Wall Opening:



6471 SIMPLICITY COLLECTION SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/8" x 19⁵/8" x 4¹/2" (270 x 498 x 114 mm) Wall Opening: 9¹/₈" × 18¹/₈" × 4" (232 × 460 × 102 mm)





9471 PROFILE COLLECTION SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: Wall Opening: $\begin{array}{l} 10^{5} / 8^{"} \times 19^{5} / 8^{"} \times 4^{15} / 16^{"} & 9^{1} / 8^{"} \times 18^{1} / 8^{"} \times 4^{1} / 4^{"} \\ (270 \times 498 \times 125 \text{ mm}) & (232 \times 460 \times 108 \text{ mm}) \end{array}$

FEMININE HYGIENE VENDORS AND DISPOSALS



0472 PARTITION MOUNTED DUAL ACCESS NAPKIN DISPOSAL

Unit serves two compartments mounted in partitions. Receptacle removable from one side for servicing and locks to back of cabinet by means of stainless steel clips. Self-closing doors on each side are mounted to cabinet with heavy-duty full length piano hinge.

MODEL OPTION:

0472-1 Waste receptacle units with a lock.

Partition Opening: 11%" x 15%" (290 x 400 mm)

•

0473 RECESSED SANITARY NAPKIN DISPOSAL

Similar to 0472, but recessed for side wall installation.

MODEL OPTION: 0473-1 Waste receptacle units with a lock.

Wall Opening: 11¼" x 15¾" x 4" (285 x 400 x 102 mm)



0473-A END STALL SANITARY DISPOSAL SURFACE MOUNTED

Similar to 0473, but surface mounted.

MODEL OPTION: 0473-1A Waste receptacle units with a lock.

Overall Dimensions: 11" x 15¹/₄" x 4" (279 x 387 x 102 mm)



0852 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Sloping cover has full length piano hinge.

Overall Dimensions: 7½" x 10" x 3%" (190 x 255 x 95 mm)



20470 RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty %4" staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge type 304 stainless steel with a satin finish. 1.0 gal. (3.8 L) waste capacity.

Overall Dimensions: 12¹³/₁₆" x 11" x 5⁷/₁₆" (325 x 280 x 138 mm)



20852 SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty $\frac{9}{44}$ " multi-staked concealed piano hinge. Cabinet front is formed seamless and capacity of the unit is 1 gal. (3.8 L).

Overall Dimensions: 7¹/₄" x 10" x 3¹/₂" (185 x 253 x 89 mm)





Specialty Accessories

With an extensive portfolio of washroom accessories ASI can provide whatever you need to promote the neat and orderly use of your facilities. These designs reflect our attention to detail for durability and easy maintenance.

SHOWN: 0785-Z TOWEL RING



7385 TOWEL RING

For bath and hand towels. Ring is 4½" (114 mm) wide, made of ¼" (6 mm) diameter stainless steel bar. Projects 2½" (64 mm) from wall. 5" (127 mm) high.



8425 CLOTHES HOOK

Heavy-duty 11 gauge type 304 stainless steel with satin finish. Hook projects 1¼" (32 mm) from wall and is 2¼" (57 mm) high.



0714 COAT AND BUMPER HOOK

Fabricated from chrome plated brass, 3" (76 mm). Neoprene bumper protects wall surface.

0719 DOOR BUMPER

Chrome plated Zamac $2\frac{3}{16}$ " (56 mm) diameter flange. Projects $1\frac{7}{8}$ " (48 mm).



0745-Z DOUBLE ROBE HOOK

Fabricated from triple chrome plated rust-resistant Zamac.

MODEL OPTION: 0740-Z Single robe hook.

Overall Dimensions: 2³/₁₆" x 1⁷/₁₆" x 1²⁹/₆₄" (56 x 37 x 37 mm)



7340 SINGLE ROBE HOOK

Fabricated from stainless steel. Hook extends 2" (51 mm) from wall.



7345 DOUBLE ROBE HOOK

4" (102 mm) wide stainless steel bar forms hook at each end. Unit extends 2" (51 mm) from wall.



7382 HAT AND COAT HOOK

Double hook made from stainless steel for both coats and hats; 2" x 7" x 3" (51 x 178 x 76 mm).



0751 HEAVY-DUTY ROBE HOOK

Concealed mounting satin chrome plated brass, projects

3¼" (83 mm). **MODEL OPTION: 0751-A** Exposed mounting, satin chrome plated brass projects 3¼" (83 mm).



0785-Z TOWEL RING

Bracket formed of Zamac and towel ring formed of triple chrome plated corrosion-resistant steel.

Overall Dimensions:

6³/₃" x 1⁵/₃" (162 x 41 mm)



7301 TOWEL PIN

Fabricated from stainless steel. Extends 3½" (90 mm) from wall.

Overall Dimensions: 2" x 2" x 3¹/₂" (51 x 51 x 89 mm)



0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.



CONSTRUCTION STAINLESS STEEL SURFACE MOUNTED PAPER CUP

DISPENSER Dispenses 100 flat bottom cups.

Adjustable for 3 oz. through 6 oz. cups. Stainless steel with bright finish. MODEL OPTION:

0002-ASM A square version of the unit.

Overall Dimensions: 3" Diameter x 15" (76 x 381 mm)



7320 SOAP DISH

Drawn, one-piece stainless steel soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap.

MODEL OPTION: 0721-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions: 4¹/₄" × 2" × 4" (108 × 51 × 102 mm)



7335 TOOTHBRUSH AND TUMBLER HOLDER

Drawn, one-piece toothbrush holder is made of stainless steel. Has 2¼" (60 mm) diameter hole in center of unit to hold tumbler. Accommodates 6 toothbrushes.

MODEL OPTION:

0735-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions: 4¹/₄" × 2" × 4" (108 × 51 × 102 mm)





7355 TOWEL BAR-ROUND

3/4" (19 mm) diameter stainless steel towel bar and stainless steel mounting bracket. Available in 18", 24" and 30" (457, 610 and 762 mm) lengths. Extends 3¼" (83 mm) from wall.



0755-SS HEAVY-DUTY STAINLESS STEEL TOWEL BAR

Towel bar fabricated of 1" (25 mm) O.D. x 20 gauge, type 304 stainless steel with a satin finish and designed not to turn in support posts. Support posts fabricated of heavy solid cast brass plated to have stainless steel satin finish to match stainless steel. Available in 18", 24" and 30" (457, 610 and 762 mm) lengths.



0760-Z SQUARE TOWEL BAR

18", 24", 30" and 36" (457, 610, 762 and 914 mm) long.

Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions: 18-36" x 1⁷/16" x 3³/16" (457-914 x 37 x 81 mm)





Cabinet type 304 stainless steel, satin finish. Dispenses 300 single-ply or 150 two-ply sheets.

MODEL OPTION: 0259-SS A recessed version of the unit.

Overall Dimensions: 10¹/₄" x 5⁵/₁₆" x 2³/₁₆" (260 x 135 x 55 mm)





Holds and dispenses 4 rolls or 1800 sheets of standard toilet tissue.

Unit Size: 173/8" x 20" x 41/4" (441 x 508 x 108 mm) (400 x 467 x 102 mm)

Wall Opening: 15³/4" x 18³/8" x 4"



0484-HC DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER

One side mounts flush to partition of barrier-free side to allow for grab bar. Usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS:

U

17 (4

0484 Mounts centered through partition. 0485 For end-stall installation. 0486 With stainless steel collar for surface mounting.

nit Size:	
73%" x 305%" x 41/2"	
41 x 778 x 114 mm)	

Partition Opening: 151/2" x 287/8 (394 x 733 mm) adjustable for partitions in thickness from 1/2" to 33/4" (13 to 95 mm)



7310 TOWEL SHELF WITH TOWEL BAR

8" (203 mm) deep consisting of four 3/8" (10 mm) diameter stainless steel tubes, with ¼" (6 mm) diameter stainless steel towel bar below shelf, available 18" (457 mm) and 24" (610 mm). Overall height: 4¼" (110 mm).



7311 TOWEL SHELF WITH TOWEL BAR

Heavy-duty unit with ¾" (19 mm) diameter drying rod and 3/8" (10 mm) diameter cross tubes in type 304 stainless steel. Bright finish only. Available 20" (508 mm) and 24" (610 mm). Overall height: 61/2" (165 mm); projects 8" (203 mm).



0755-Z ROUND TOWEL BAR

Triple chrome plated rust proof Zamac brackets. Triple chrome plated steel tubing 18", 24" and 30" (457, 610 and 762 mm) long.





04813 DUAL ACCESS TOILET TISSUE **DISPENSER WITH NAPKIN DISPOSAL**

Mounts through partition, usable by both sides but serviced from one side. Holds 4 rolls of toilet tissue.

MODEL OPTIONS:

04813-HC One side mounts flush. 04823 Holds two rolls. 04833 With stainless steel collar for surface mounting.

Unit Size: 17³/₈" x 20" x 4¹/₄" (441 x 508 x 108 mm)

Partition Opening:

15¹/₂" x 18¹/₄" (394 x 464 mm) adjustable for partitions in thickness from ¹/₂" to 2" (13 to 51 mm)





0481 DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER WITH SANITARY DISPOSAL

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS: 0481-HC One side mounts flush. 0482 For end-stall installation. 0483 With stainless steel collar for surface mounting.

Unit Size: 173/8" x 305/8" x 41/4" (441 x 778 x 108 mm) Partition Opening: 15¹/2" x 28⁷/8 (394 x 733 mm) adjustable for partitions in thickness from ¹/₂" to 2" (13 to 51 mm)



SHOWN: 74022-H TOILET TISSUE DISPENSER



Toilet Tissue Dispensers


ASI offers many different designs and styles to complement the features of your washroom setting. Engineered for heavy-duty use and easy maintenance, these units stand the test of time. Choose from a wide range of features, based on your own washroom needs. All of these options are easy to install, easy to use, durable and affordably priced.

WHAT MAKES THESE DISPENSERS UNIQUE?




STAINLESS STEEL CONSTRUCTION

Our dispensers are made of stainless steel, which is tough, durable material that is stain-resistant and easy to clean.




TUMBLER LOCKS Our tumbler locks provide convenience and security with an elegant look.



SAFE EASY DISPENSING

Dispensing and storage options vary, from single roll to multiple rolls or jumbo roll dispensers.



VIEWING SLOT

Slot in front cover of jumbo roll dispensers provides easy visual indication of remaining tissue supply.

TOILET TISSUE DISPENSERS

FEATURES

- Easy to use and clean
- Spring-loaded chrome roller may apply
- Theft-resistant spindle and vandal-resistant locking device options
- Some models have built-in storage for additional rolls


DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.











0263-1 SINGLE ROLL TOILET TISSUE DISPENSER

Single roll toilet tissue dispenser with controlled-delivery spindle. Holds and dispenses all standard core roll tissue up to 6" (152 mm) diameter. Fabricated of heavy-duty aluminum casting with satin-matte, silver-grey powder coated finish.

MODEL OPTION:

0264-1 Double roll toilet tissue dispenser.

Overall Dimensions: 6½" x 1¾" x 4" (165 x 45 x 102 mm)



0267 VANDAL-RESISTANT HOOD

14 gauge satin finish stainless steel for use only with 0264-1 (specified and purchased separately).

Unit Size: 14¹/₈" x 7³/₄" x 6¹/₂" (359 x 197 x 175 mm)



0697-GAL STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge type 304 stainless steel satin finish with front edge hemmed. Holds two 1800 sheet toilet tissue rolls.

Overall Dimensions: 18" x 4¹³/₁₆" x 5" (457 x 106 x 127 mm)







7305-B* SURFACE MOUNTED TOILET TISSUE HOLDER

Type 304 bright finish stainless steel with chrome plated roller. Heavy gauge concealed bracket mounts on wall. Holds 1800 sheet standard core roll.

MODEL OPTION: 7305-S Satin finish. 7305-2S/2B Holds 2 rolls.

Overall Dimensions: 13¹/₂" wide (343 mm)

7305-S/B Overall Dimensions: 7¾" wide (207 mm)

*For theft-resistant spindle add R-009 after model number.

0715 DOUBLE SURFACE MOUNTED TOILET TISSUE HOLDER CHROME PLATED STEEL

Provided with vandal-resistant locking device and mechanism to provide controlled delivery. High polish finish. Dispenses two standard or 1800 sheet toilet tissue rolls.

Overall Dimensions: 12³/₈" × 2³/₄" × 4¹/₄" (314 × 70 × 108 mm)

0710 SINGLE SURFACE MOUNTED TOILET TISSUE HOLDER

Overall Dimensions: 6" x 2³/₄" x 4¹/₄" (152 x 70 x 108 mm)

7403 EXTRA ROLL RECESSED TOILET TISSUE HOLDER

Spring-loaded chrome roller. Extra roll stored behind roll in use.

MODEL OPTIONS: 7403-B Rec., bright stainless steel. 7403-S Rec., satin stainless steel.

NOTE: If drywall installation is required, add suffix "D" to model number. If wetwall installation is required, add suffix "W" to model number (no clamp is required for wetwall).

Overall Dimensions: 6⁵/₁₆" x 6¹/₄" (160 x 159 mm)

TOILET TISSUE DISPENSERS



0402-Z RECESSED TOILET **TISSUE HOLDER**

Holds any standard core roll tissue up to 5" (127 mm) diameter. Die-cast of Zamac in seamless one-piece construction.

Wall Opening: 6¹/₄" x 6¹/₄" x 1¹/₈" (159 x 159 x 29 mm)



0477-SM SURFACE MOUNTED TOILET SEAT COVER DISPENSER

Dispenses 250 single or half-fold seat covers. Fabricated of 22 gauge type 304 stainless steel with satin finish.

Overall Dimensions: 15³/4" x 11" x 1¹/4" (400 x 279 x 32 mm)

0477 RECESSED TOILET SEAT **COVER DISPENSER**

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

 $\begin{array}{lll} \textbf{Unit Size:} & \textbf{Wall Opening:} \\ 17^1/4^{\texttt{"}} \times 12^3/4^{\texttt{"}} \times 2^3/\!\!\!& & 15^3/4^{\texttt{"}} \times 11^1/4^{\texttt{"}} \times 2^5/\!\!\!& \\ (438 \times 324 \times 60 \text{ mm}) & (400 \times 285 \times 67 \text{ mm}) \end{array}$



20477-SM SURFACE MOUNTED SEAT **COVER DISPENSER**

Dispenses 250 seat covers. Fabricated of 20 gauge type 304 stainless steel with a satin finish.

Overall Dimensions: 15³/₄" x 11" x 2³/₈" (400 x 280 x 60 mm)



0705-Z TOILET PAPER HOLDER

Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions: 5⁷/8" x 1⁷/16" x 2³/4" (149 x 37 x 70 mm)

7303 EXTRA ROLL TOILET **TISSUE HOLDER**

Extra roll of paper is placed over the horn type holder. Stainless steel set screw on bottom of flange locks unit to mounting plate.



R-009 THEFT-RESISTANT SPINDLE

Note: R009 Theft-resistant spindle is available for any toilet tissue holder indicated with an asterisk, by adding R009 suffix after model number.



Grab Bars

All ASI grab bars are made in compliance with ADA guidelines for strength requirements. Various configurations feature satin finish 18 gauge type 304 stainless steel (peened or smooth). These single structure units are heliarc welded, and mandrel bending ensures uniform bar diameters.

SHOWN: 3700 SNAP FLANGE



EXPOSED MOUNTING 3400 Series — 1¼" (32 mm) O.D. 3500 Series — 1½" (38 mm) O.D.

Features include flange of 3" (76 mm) diameter, $\frac{1}{s}$ " (3 mm) thick type 304 stainless steel with a satin finish; exposed mounting screw holes are drilled and countersunk.



SNAP FLANGE 3700 Series — 1¼" (32 mm) O.D. 3800 Series — 1½" (38 mm) O.D.

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 31/6" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/4" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 3^3 /16" (81 mm) diameter.

MODEL OPTIONS: 3700-W White grab bar. 3800-W White grab bar.


GRAB BAR CONFIGURATIONS

The following standard shapes are typical configurations. Grab bars can be custom designed and manufactured to meet any specific architectural requirement.

Designers Note:

For a non-slip surface, specify suffix "P" (peened). When specifying grab bars insert the configuration type numbers listed below into the double zeros at the end of the grab bar series number.

Example 1: A 1½" (38 mm) concealed 18" x 33" (460 x 840 mm) horizontal grab bar has a model number — 3874. When a special size is needed add suffix "M" plus the size, to the closest standard bars. Example 2: A 1½" (38 mm) concealed 23" x 37" (585 x 940 mm) horizontal grab bar has a model number 3874-M2337.







Shower/Tub Accessories

ASI provides a full range of shower and tub accessories that show attention to details to address the safety and comfort needs of users. All items—including shower seats and benches, tub seats, soap dishes and shower curtain rods—are designed to ensure secure installation and easy use.

SHOWN: 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS



0398 RECESSED HEAVY-DUTY STAINLESS STEEL SOAP DISH AND BAR

Type 304 stainless steel unit with bright polished finish exterior and sand blasted finish interior. Includes mounting clamp for stud walls.

 MODEL OPTIONS:

0399 Same as 0398, but includes kit for installing in cement wall.

0400 Without bar.

0401 Same as 0400, but includes kit for installing in cement wall.



0410-Z RECESSED SOAP DISH WITH BAR

Die-cast of Zamac in seamless one-piece construction. A plastic soap tray with drying ribs interlocks with housing for retention.

Wall Opening: 6¼" x 6¼" x 3%" (159 x 159 x 86 mm)



7404 RECESSED SOAP DISH

Seamless one-piece construction fabricated of 22 gauge stainless steel type 304. Provided with a raised lip to retain soap.

Overall Dimensions: $6\frac{1}{4}$ " x $6\frac{5}{8}$ " x 2" (159 x 160 x 51 mm)



7410 RECESSED SOAP DISH AND BAR

One-piece construction soap dish fabricated of 22 gauge 304 stainless steel. Includes a bar, held permanently between two posts at top of unit.

Overall Dimensions: 6⁵/₁₆" x 6¹/₄"x 3" (160 x 159 x 76 mm)



1204 EXTRA HEAVY-DUTY SHOWER CURTAIN ROD

3%" (81 mm) diameter flanges of 20 gauge type 304 stainless steel with satin finish and 1/4" (32 mm) diameter rod of 18 gauge type 304 stainless steel tubing with satin finish. Available in lengths up to 96" (2438 mm); special order on longer lengths.

1214 HEAVY-DUTY SHOWER CURTAIN ROD

20 gauge, $1\frac{1}{6}$ " (26 mm) diameter rod. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.

1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS


Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.







Chrome plated brass with satin finish flanges and 1" (25 mm) diameter rod of 20 gauge type 304 stainless steel with satin finish. One flange has set screw to lock rod and prevent rotation. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.



1200-SHU SHOWER CURTAIN HOOK

 $\begin{array}{l} \mbox{Stainless steel hook for rods 1"} \\ \mbox{(25 mm) and 1¼" (32 mm) diameter.} \\ \mbox{Size: } 1^{9}\!/ {\mbox{\tiny 16^{\rm m}}} \times 2^5\!/ {\mbox{\tiny 8^{\rm m}}} \\ \mbox{(40 x 67 mm)} \end{array}$



1200-V VINYL SHOWER CURTAIN

Flame-resistant, anti-bacterial, 8 gauge white vinyl fabric with standard height of 72" (1829 mm). Curtain should be 6" (152 mm) wider than opening up to 42" (1067 mm) and 12" (305 mm) wider than opening exceeding 42" (1067 mm).







8208-R FOLDING SHOWER SEAT

Slats are fabricated with stainless steel in satin finish.

MODEL OPTION:

8208-L Similar to 8206-R, but with left hand seat.

0010 CORNER SHOWER SEAT

Seat, support brackets and retainer clip are type 304 satin finish stainless steel. Seat is secured to one wall with full length piano hinge and support on other wall by bracket.

Size: 15³/₄" x 15³/₄" (400 x 400 mm)

8358 FOLDING TUB SEAT

¹/₂" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket and retainer hook are type 304 satin finished stainless steel. Seat measures 15" (387 mm) wide and projects 33³/₄" (860 mm) from wall.

SHOWER/TUB ACCESSORIES



يتى

8209 RECTANGULAR PHENOLIC FOUR-LEG FOLD-UP SHOWER BENCH

Seat is white colored, black core phenolic. Frame, mounting bracket and retainer hook are type 304 satin finished stainless steel. Seat is 221/2" (572 mm) deep and 48" (1219 mm) wide, projecting 24" (610 mm) from the wall when in the open position. When retracted, legs fold up to provide low profile against wall.



8206-L FOLDING SHOWER SEAT

(Left Hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly. Seat is $\frac{1}{2}$ " (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22%" (581 mm) from wall.

MODEL OPTIONS:

8206-R Right hand seat.
8205-L Left hand seat with cushion covered in off-white Naugahyde[®].
8205-R Right hand seat with cushion covered in off-white Naugahyde[®].
8208-L Left hand stainless steel seat.
8208-R Right hand stainless steel seat.



8203 COMPACT FOLDING SEAT

 $^{5}\!/\!{}_{16}$ " (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Features a self-locking mechanism. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall. Additional width options are available in 20", 22", 24", 28" and 33" (order with suffix -20, -22, -23, -28 and -33)

MODEL OPTIONS:

8204 Seat is sponge cushion covered with off-white Naugahyde® mounted on $\ensuremath{\sc 2}$ " (13 mm) thick marine grade plywood.

8207 Seat is fabricated of stainless steel, satin finish, slatted design.



8202 L-SHAPED PHENOLIC FOUR-LEG FOLD-UP SHOWER SEAT

Seat is ½" (13mm) thick solid phenolic, with white top and bottom surfaces and black edges, and is field reversible for left or right hand. Rear load feet remain on floor with rear frame mounted to wall and never need adjustment after correct installation. Front legs fold up automatically when seat is raised. Gravity prevents seat from dropping. Shower seat exceed ADA Accessibility Guidelines when mounted properly.



71



Baby Changing Stations

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?



LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight in excess of 350 lbs.



ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



OPTIONAL FUNGUS-AND BACTERIA-RESISTANT PLASTIC

Our baby changing stations can be made with FDA-approved fungusand bacteria-resistant plastic.

BABY CHANGING STATIONS

FEATURES

- Easy to install
- Sanitary, safe and strong
- All units fold up; no obstruction when not in use
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.





NEW 9014 HORIZONTAL SURFACE MOUNTED PLASTIC BABY CHANGING STATION

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Can be fabricated of FDA-approved fungusand bacteria-resistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 35⁵/₃₂" x 24¹/₄" x 3⁷/₈" (893 x 616 x 98 mm) Open: 35⁵/₃₂"x 24¹/₄" x 22¹/₃₂" (893 x 616 x 560 mm)



NEW 9015 VERTICAL SURFACE MOUNTED PLASTIC BABY CHANGING STATION

Vertical format. Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

Overall Dimensions:

Closed: 24¹/₄" x 35⁵/₃₂" x 3⁷/₈" (616 x 893 x 98 mm) Open: 24¹/4" x 35⁵/₃₂" x 32¹⁵/₁₆" (616 x 893 x 837 mm)





NEW 9018 HORIZONTAL RECESSED MOUNTED STAINLESS STEEL BABY CHANGING STATION

Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

MODEL OPTION:

9018-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions:

Closed: 39⁵/₃₂" x 28¹/₄" x ³/₈" (995 x 718 x 10 mm) Open: 39⁵/₃₂" x 28¹/₄" x 18¹/₈" (995 x 718 x 460 mm)

Wall Opening:

35½" x 24½" x 4" min (902 x 622 x 102 mm)



NEW 9017 VERTICAL RECESSED MOUNTED STAINLESS STEEL **BABY CHANGING STATION**

This vertical station has a door facing and collar made from 18 gauge 304 stainless steel. Can be fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit shall support a static load of 300 lbs. (136 kg).

MODEL OPTION:

9017-9 Surface mounted with 9" stainless steel collar.

28¹/₄" x 39⁵/₃₂" x 29³/₈"

Open:

Overall Dimensions:

Closed: 28¹/4" x 39⁵/₃₂" x ³/8" (718 x 994 x 10 mm)

Wall Opening:

24½" x 35½" x 4" min (622 x 902 x 102 mm) (718 x 994 x 746 mm)

BABY CHANGING STATIONS



6. 9012 SURFACE MOUNTED BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of 100% high-density polyethylene. Easy opening/closing pneumatic mechanism has oversized hinge and safety stop system. The built-in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Unit shall support a static load of 300 lbs. (136 kg). Surface mounted. Only 4" (102 mm) deep when closed.

Overall Dimensions:

Closed: 36" × 22" × 4" (914 x 559 x 102 mm)

Open: 36" x 22" x 20⁷/16" (914 x 559 x 519 mm)



9013 RECESSED STAINLESS STEEL BABY **CHANGING STATION**

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed The changing surface is high-impact-resistant plastic for easy cleaning. Its two part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions:

Open: 37" x 25¹⁄₂" x 17³⁄₄" Closed: 37" x 25½" x 3/8" (940 x 648 x 451 mm) (940 x 648 x 10 mm)

Wall Opening: 34¼" x 22¾" x 3¾" (870 x 578 x 95 mm)





NEW 9020 TODDLER SAFETY SEAT

This plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit shall support a static load of 50 lbs. (23 kg).

Overall Dimensions: Closed:

12¹/₂" x 21³/₄" x 5¹/₂" (318 x 552 x 140 mm) Open: 12½" x 21¾" x 11½" (318 x 552 x 283 mm)



9016 RECESSED BABY CHANGER BED LINER DISPENSER

Holds up to 30 paper liners.

Wall Opening: 81/4" x 161/4" x 33/4" (210 x 413 x 95 mm)



75

Shelves

ASI offers various configurations, sizes and styles, including platform, recessed and folding utility shelving—all sturdy, durable and constructed of stainless steel.

SHOWN: 20692 SURFACE MOUNTED SHELF



0690 SHELF WITH RAISED EDGES

Entire unit is formed of one-piece of 18 gauge stainless steel having a $\%^{\prime\prime}$ (10 mm) depression with a satin finish.

See chart for standard sizes.

	0690	Model Numbers 0692	0694	20692
Standard Sizes:	6" depth (152 mm)	5", 6" or 8" depth (127,152, 203 mm)	5" depth (127 mm)	6" depth (152 mm)
Length				
12" (305 mm)				
16" (406 mm)				
18" (457 mm)		-		
24" (610 mm)				
30" (762 mm)				
36" (914 mm)				
48" (1219 mm)				
60" (1524 mm)				
72" (1829 mm)		-		



0692 SHELF

Fabricated of 18 gauge stainless steel with a satin finish. Front edge is hemmed for maximum rigidity and safety.

See chart for standard sizes.



Fabricated of 18 gauge type 304 satin finish stainless steel with raised rim. It returns to upright position when not in use.

Overall Dimensions: 145%" x 5¹³/₁₆" (371 x 148 mm)



0412 RECESSED SHELF

This unit is fabricated of 22 gauge, all welded construction, stainless steel with a satin finish.

Overall Dimensions: 18" x 8" x 4¹/₄" min (457 x 203 x 108 mm)

Wall Opening: 16¹/₂" × 6¹/₂" × 4" min (419 × 165 × 102 mm)



0694 SHELF WITH BACKSPLASH

Fabricated of 18 gauge stainless steel with a satin finish on exposed surfaces with 5" (127 mm) depth.



20692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge type 304 stainless steel, the 6" wide shelf has a ¾" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval™ Collection. Choice of sizes.

Overall Dimensions: 6" x 12"-72" (152 x 305-1829 mm)





Custodial Accessories

Fabricated of type 304 satin finish stainless steel, our one-piece constructed custodial accessories—with various configurations of mop and broom holders and utility hooks—help keep necessary cleaning tools and supplies organized and accessible.

SHOWN: 1315-3 SHELF WITH DRYING ROD, MOP HOLDERS, HOOKS



0

1307-3 UTILITY HOOK STRIP WITH 3 HOOKS 26" (660mm)

Fabricated of type 304 stainless steel with satin finish, this strip is 4" (102 mm) high with edges returning $^{1}\!/_{2}$ " (13 mm) to the wall.

MODEL OPTIONS:

1307-4 With 4 hooks 36" (914 mm) long. **1307-5** With 5 hooks 46" (1168 mm) long. **1307-6** With 6 hooks 56" (1422 mm) long.



1308-3 SHELF WITH 4 UTILITY HOOKS AND 3 MOP HOLDERS STRIP 34" (860mm)

Fabricated of type 304 satin finish stainless steel, this shelf is 8" (203 mm) deep with $^{3}/_{4}$ " (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Unit is $14^{1}/_{2}$ " (368 mm) high.

MODEL OPTION:

1308-4 4 mop holders/5 utility hooks, 44" (1118 mm) long.


CUSTODIAL ACCESSORIES

1306 HEAVY-DUTY UTILITY HOOK Heavy-duty 11 gauge stainless steel with satin finish.

0533-48 CORNER GUARD

Surface Mounted Corner Guard comes in multiple sizes and mounting options. Robust 18 gauge stainless steel protects corners and is finished with a '/#" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications. Standard mounting is with adhesive. Optional screw mounting available on request.

 $\begin{array}{l} \textbf{Overall Dimensions:} \\ 48^{``} \times 4^{1}\!/_{4}^{``} \times 4^{1}\!/_{4}^{``} \\ (1219 \times 108 \times 108 \text{ mm}) \end{array}$





8215-5 MOP AND BROOM RACKS

5 holders, 46" (1168 mm) long. Fabricated from one-piece hi-hat channel stainless steel.

MODEL OPTIONS:

8215-3 3 holders, 26" (660 mm) long. 8215-4 4 holders, 36" (914 mm) long.



1315-4 UTILITY SHELF WITH DRYING ROD, 4 MOP HOLDERS AND 3 RAG HOOKS, 36" (915 mm)

Fabricated of type 304 satin finish stainless steel, this shelf is 8" (203 mm) deep with $^{3}/_{4}$ " (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Rod and hooks for wet rags are included.

MODEL OPTIONS:

1315-3 3 mop holders/2 rag hooks, 30" (762 mm) long. **1315-6** 6 mop holders/5 rag hooks, 48" (1219 mm) long.





Healthcare Accessories

ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers. These items include medicine cabinets, specimen and bedpan cabinets, corner guards and surgical soap dispensers. All items are designed for ease of use, safety and durability.

WHAT MAKES OUR HEALTHCARE ACCESSORIES UNIQUE?



STAINLESS STEEL CONSTRUCTION

Our cabinets are made of stainless steel, which is tough, durable, stainresistant and easy to clean.



CYLINDER LOCK

The design of our cylinder locks allows for the removal of the cylinder for sterilizing or autoclaving when necessary.



CONVENIENT PASSAGE

Our specimen pass box and cabinet enables easy access and safe handling of specimens from patient area to laboratory.

ADJUSTABLE SHELVES

The design of our cabinets offers flexibility with adjustable shelves for ease in storage and use.

HEALTHCARE ACCESSORIES

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.



81



0952 RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is type 304 stainless steel with satin finish. Mirror is ¼" (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

> Wall Opening: 16" x 22³/₄" x 3¹/₂"

(406 x 578 x 89 mm)

Overall Dimensions: $18^{1}/4^{"} \times 24^{1}/4^{"} \times 4^{1}/2^{"}$ $(464 \times 616 \times 114 \text{ mm})$

MODEL OPTION: 0952-B Larger than 0952.

Overall Dimensions: $24" \times 26" \times 4^7/_8"$ (610 × 660 × 124 mm)



0953 SURFACE MOUNTED STAINLESS STEEL MEDICINE CABINET

Surface mounted cabinet is made from 20 gauge stainless steel with a satin finish. Mirrored door is hung on cabinet with a full length 3 /16" staked piano hinge. Cabinet has three adjustable stainless steel shelves.

 $\begin{array}{l} \textbf{Overall Dimensions:} \\ 18^{1}\!/_{4}^{\texttt{"}} \times 24^{1}\!/_{4}^{\texttt{"}} \times 4^{3}\!/_{4}^{\texttt{"}} \\ (464 \times 616 \times 121 \text{ mm}) \end{array}$



8340 POWDER COATED RECESSED MEDICINE CABINET

One-piece, drawn cold rolled steel with white powder coated steel finish. Stainless steel channel framed mirrored door with ¼" (6 mm) thick plate glass, has continuous piano hinge and magnetic catch. Three removable white enamel steel shelves.

Overall Dimensions: 18¹/4" x 24¹/4" x 4⁷/8" (465 x 615 x 120 mm)


$\begin{array}{l} \textbf{MODEL OPTION:}\\ \textbf{8338} Smaller and has two adjustable white baked enamel steel shelves.\\ 14^1/e^* \times 20^3/e^* \times 5^*\\ (359 \times 5^{13} \times 125 \text{ mm}) \end{array}$

Wall Opening: 16" × 22³/4" × 3¹/2" (406 × 578 × 89 mm)

8339 Larger than 8338. $16\frac{3}{6}$ " x $22\frac{3}{6}$ " x 5" (411 x 564 x 127 mm)








Surface Mounted Corner Guard comes in multiple sizes and mounting options. Robust 18 gauge stainless steel protects corners and is finished with a $1/s^{"}$ radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications. Standard mounting is with adhesive. Optional screw mounting available on request.

Overall Dimensions: $48" \times 4^{1}/_{4"} \times 4^{1}/_{4"}$ (1219 × 108 × 108 mm)



8154 PASS-THROUGH SPECIMEN CABINET

Provides a convenient passage from patient area into laboratory. Fabricated of 22 gauge type 304 satin finish stainless steel. Internal latch prevents simultaneous door opening. Stainless steel tray is removable. Mounts in wall thickness of 1%" to 5½" (44 to 140 mm).

MODEL OPTIONS:

8155 Extension sleeve and flange for recessed specimen pass-through cabinet.8156 Same as 8154 including 8155 extension sleeve.



0350 SURGICAL SOAP DISPENSER

Dispenses antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

Overall Dimensions: 3³/8" × 6¹/2" × 5¹/8" (86 × 165 × 130 mm)

HEALTHCARE ACCESSORIES



NEW 0547 NARCOTICS CABINET -COMBINATION LOCK/ DUAL DOORS

Security cabinet for controlled narcotic substances is surface mounted and constructed from 304 alloy 18-8 stainless steel of double wall all welded construction. Cabinet is 22 gauge and doors are 18 gauge.

Overall Dimensions:

11¹/4" x 15" x 8¹/4" (286 x 381 x 210 mm)



Stainless steel satin finish shelves are

20 gauge with hemmed edges and are

easily adjusted by owner using track

clips provided. Two (2) shelves and

eight (8) clips are provided.

Overall Dimensions:

(762 x 660 x 305 mm)

30" × 26" × 13"



NEW 0546 SECURITY MEDICINE CABINET 0515 TURNTABLE SPECIMEN PASS BOX

Fabricated of 18 gauge type 304 satin finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with 10½" x 6" (267 x 152 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (178 mm) thick.





0349 FOOT OPERATED SURGICAL SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (0.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (2438 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses surgical soaps, antiseptic solutions and synthetic detergents.

Overall Dimensions: $4^{1}/_{4}$ " x $12^{3}/_{4}$ " x 9" (108 x 324 x 229 mm)

Spout Projection: 43/4" (121 mm)

0551 RECESSED BEDPAN AND URINAL BOTTLE CABINET

Recessed cabinet is 22 gauge type 304 satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with ½" (13 mm) open space across top and bottom of door to allow air circulation.

MODEL OPTION: 0558-1 RECESSED BEDPAN AND WASHBASIN CABINET Holds one conventional type bedpan and one wash basin.



0557 SURFACE MOUNTED BEDPAN RACK

Surface mounted rack provides convenient storage for one conventional sized bedpan.

Overall Dimensions: 12" × 11" × 4⁷/8" (305 × 279 × 124 mm)

MODEL OPTIONS:

0556 SURFACE MOUNTED BEDPAN AND URINAL RACK Larger for storing one conventional sized bedpan and one urinal bottle.

0559 SURFACE MOUNTED DOUBLE BEDPAN RACK Similar to 0556, but designed to hold two conventional sized bedpans.



SHOWN: 7383 TOWEL SHELF WITH HANGER ROD



HOSPITALITY ACCESSORIES

Hospitality Accessories

ASI offers a wide range of options to accessorize the washroom setting. These items include towel bars and racks, clothes hooks, shelving and holders. All items are easy to install and easy to clean. These items add a special touch and convenience for washroom users.

WHAT MAKES OUR HOSPITALITY ACCESSORIES UNIQUE?



STAINLESS STEEL CONSTRUCTION

Our heavy-duty items are made of high-quality 304 stainless steel, which is tough, durable, stainresistant and easy to clean.



MINIMALISTIC, CONTEMPORARY AND CLASSIC

Different styles allow you to choose what works best to complement your washroom.



LEED®-FRIENDLY

The robust construction made of type 304 stainless steel is LEED®-friendly and fits our sensibility about longer lifecycle building designs.



REFINED LOOK, RICH FUNCTION

These accessories add a special touch to enhance the user's experience in the washroom setting.

HOSPITALITY ACCESSORIES

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean





See our Mirror Collection on page 50.







7313 SOAP DISH WITH GLASS HOLDER

Clear glass holder has raised ribs to elevate soap slightly above surface to promote drying. May be removed for cleaning. All other parts of the unit are fabricated of satin finish stainless steel.

Overall Dimensions: 4⁵/₁₆" DIA x 4⁷/₈" (110 DIA x 124 mm)

7308 SINGLE ROBE HOOK

Extends 2% (59 mm) from wall or door. Suitable for robes, clothing or small bags. Satin finish stainless steel hook.



7316 SPARE TOILET PAPER HOLDER

Holds one roll of toilet paper. Extends 4" (102 mm) from wall. All exposed surfaces have a satin finish stainless steel.

Overall Dimensions: 3³⁵/₆₄" DIA x 6⁵/₈" (90 DIA x 167 mm)



7312 DOUBLE ROBE HOOK

Two hooks, set apart at 90° on center, extend 2%" (60 mm) from wall or door. Suitable for robes, clothing or small bags. Satin finish stainless steel.

HOSPITALITY ACCESSORIES





7314-H SINGLE TOILET PAPER ROLL HOLDER WITH HOOD

Satin finish stainless steel hood. Hood adds weight for easy tear and also protects paper roll from water droplets.

Overall Dimensions: $5\frac{1}{4}$ " x 5" x $2\frac{9}{16}$ " (133 x 127 x 65 mm)

7315-H DOUBLE TOILET PAPER ROLL HOLDER WITH HOOD

Double Toilet Paper Roll Holder with Hood is type 304 stainless steel alloy 18-8. All exposed surfaces have a satin finish. Roll holder bail is retained in post with concealed set screw. Hoods are captive on rod. Post is 22 gauge tubing with formed 18 gauge threaded bracket welded inside end.

Overall Dimensions: 12⁵/₃₂" x 3" x 5" (309 x 76 x 128 mm)



7314 SINGLE TOILET PAPER ROLL HOLDER

The toilet paper placed on this bail-type holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish stainless steel. Paper bar is reversible to change handing.

Overall Dimensions: 5³⁄₁₆" x 3³⁄₈" x 2³⁄₁₆" (131 x 86 x 56 mm)



7317 COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright-finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION: 7317-S Satin finish.

Overall Dimensions: 8%2" DIA x 12¾" (210 DIA x 324 mm)



87



7387 TOILET BRUSH AND HOLDER

Tube handle, round splash guard and storage cylinder of this wall-mounted unit are fabricated of satin finish stainless steel. Includes a drip cup at the bottom for easy cleaning. Brush is made of PVC with a polypropylene shaft. 15%" (394 mm) from bottom of base to top of handle and extends 5%" (131 mm) from wall. Allows for easy cleaning while maintaining an elegant washroom.

MODEL OPTION:


7388 Freestanding. 15" (381 mm) from bottom of base to top of handle.



0712 SURFACE-MOUNTED RETRACTABLE **CLOTHES LINE**

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.





Heavy-duty unit with 3/4" diameter type 304 stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 23⁵/₈" × 3¹/₂" × 8¹⁵/₁₆" (600 x 89 x 227 mm)



7381 SUNDRIES SHELF

Type 304 stainless steel alloy of formed round wire construction and has 25/64" (10 mm) diameter. Solid retainer cross bar as front rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 12⁷/₈" x 4⁷/₁₆" x 3³⁵/₆₄" (372 x 114 x 90 mm)



7322 SOAP BASKET

Type 304 stainless steel alloy of formed round wire construction and fabricated with heavy gauge solid rectangular cross section formed bar top rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to . mounting plates.

Overall Dimensions:

11¹⁵/₃₂" x 2⁹/₃₂" x 6¹/₂" (291 x 58 x 165 mm)

HOSPITALITY ACCESSORIES



7306 TOWEL RING

Designed for hand towels, this 7" DIA (178 mm) towel ring is formed from a %" DIA (9.5 mm) satin finish stainless steel tube. Extends 2%" (64 mm) from wall.



1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.



0259-SS RECESSED FACIAL TISSUE DISPENSER

Dispenses 300 single-ply or 150 double-ply tissues. Faceplate of type 304 stainless steel satin finish.

Overall Dimensions: 11⁷/₈" x 6³/₈" x 2¹/₄" (302 x 162 x 57 mm)



7307-18 ROUND TOWEL BAR

Satin finish stainless steel tube and posts with round mounting brackets on ends. Extends $2^{5/2}$ " (67 mm) from wall. 18" (457 mm) in length.

MODEL OPTION:

7307-24 Same as 7307-18, but 24" (610 mm) in length, ⁵/₈" (16 mm) DIA.





Security Accessories

to deter self-harm actions.

ASI offers many different items that are specifically designed for settings with high security requirements. Features include design for contraband detection and clothes hooks that release when excessively loaded

SHOWN: 128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING



122 SQUARE CLOTHES HOOK—REAR MOUNTING

Fabricated of 12 gauge type 304 stainless steel with a satin finish. Back plate is fabricated of 14 gauge stanless steel. If hook is excessively loaded, it will snap down for safety. Unit has four studs welded on back for rear mounting.

MODEL OPTION: 123 Front mounted hook.

Overall Dimensions: 4¹/₄" × 4¹/₄" × 2¹/₄" (108 x 108 x 57 mm)



170 RETRACTABLE SHOWER SEAT—FRONT MOUNTING

Seat folds up into cabinet. Fabricated of 12 gauge stainless steel, exposed surfaces have a satin finish. Seat has reinforced channels. Wall sub frame furnished with welded-on masonry anchors. Seat shall have a flush, stainless steel, self-latching pull handle, which is accessible when unit is closed.

Sub Frame Opening: 13¹/2" x 13¹/2" x 2¹/2"

(343 x 343 x 64 mm)



128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING

Shelf and back plate are 14 gauge stainless steel type 304 with satin finish. Hooks are 12 gauge stainless steel and back plate is 14 gauge stainless steel. Seams are welded and ground smooth. Hooks snap down for safety if excessively loaded. Unit has six holes through back for front mounting.

Overall Dimensions:

18" x 11" x 8" (457 x 279 x 203 mm)

SECURITY ACCESSORIES





Bracket 11 gauge, hook 7 gauge type 304 stainless steel with satin finish. If hook is excessively loaded, it will snap down for safety. Unit has four holes through flange for front mounting.

Overall Dimensions:

3" x 5" x 3½6" (76 x 127 x 78 mm) Special "closure plate" for security applications

165 GRAB BAR

Tubing 18 gauge and flanges $\frac{1}{2}$ (3 mm) thick stainless steel type 304 with satin finish. Closure plate is $\frac{1}{2}$ (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.

MODEL OPTIONS:

Rear Mounted	Length	Exposed Mounted	Length
158	18" (457)	159	18" (457)
160	24" (610)	162	30" (762)
161	30" (762)	164	36" (914)
163	36" (914)	165	24" (610)
166	42" (1067)	167	42" (1067)
168	48" (1219)	169	48" (1219)



NEW 0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

Unit Size: 12⁵/₈" × 15³/₄" × 5⁴/₁₆" (320 × 400 × 140 mm)

5⁴/₁₆" 11⁷/₈" x 14³/₄" x 5¹/₈" 40 mm) (303 x 376 x 130 mm)

Decibel Level: 66 dB-A @ 2M



Wall Opening:



110-1 SQUARE RECESSED TOILET TISSUE HOLDER—REAR MOUNTING

Fabricated of 14 gauge type 304 stainless steel with satin finish exterior, glass blasted satin finish interior $4^{1/2}$ " (114 mm) deep accommodates one standard toilet tissue roll. Flange is 7" (179 mm) square.

MODEL OPTION: 110-13 Front mounted holder.



110 RECESSED TOILET TISSUE HOLDER —REAR MOUNTING

Fabricated of 16 gauge type 304 stainless steel, satin finish exterior, glass blasted satin finish interior. 4½" (114 mm) interior depth accommodates one standard toilet tissue roll. Hidden contraband causes roll to project from holder allowing detection. Two "T" nuts welded on back for rear mounting.

MODEL OPTION: 110-A 7¹/4" (184 mm) DIA

Overall Dimensions: 7¹/4" (184 mm) DIA





101 CHASE MOUNTED SECURITY MIRROR

Frame 14 gauge type 304 stainless steel with satin finish, corners welded and ground smooth. Unit provided with fiberboard backing and six "T" nuts welded on back for rear mounting. Specify wall thickness if greater than 6" (152 mm).

Suffix	Material	Finish
13	1/4" thick tempered glass	Polish mirror
14	20 gauge type 304 stainless steel	No. 8 mirror polish
17	1/4" thick Plexiglas	Polish mirror
31	22 gauge steel	Chrome plated

Overall Dimensions:

12" x 16" x 5%" (305 x 406 x 16 mm)



104 FRAMED MIRROR—FRONT MOUNTING

Unit consists of wall mounting plate fabricated of 7 gauge type 304 stainless steel with four countersunk mounting holes and eight tapped holes. Formed mirror fabricated of 18 gauge type 304 stainless steel with #8 mirror polish finish provided with eight dimpled holes through integral frame and $\frac{1}{4}$ -20 x $\frac{1}{4}$ " Torx[®] head screws for securing to wall mounting plate. For 20 gauge No. 8 mirror polish finish specify option by adding suffix to Model No. (e.g., 104-14).

Overall Dimensions: 10¹/₁₆" x 11⁹/₁₆" x ⁷/₁₆" (256 x 294 x 11 mm)



SECURITY ACCESSORIES





127 CLOTHES/TOWEL HOOK STRIP—FRONT MOUNTING

Wall plate 14 gauge with beveled edges, 11 gauge brackets and four 7 gauge hooks. Stainless steel type 304 with satin finish. Hooks snap down for safety if excessively loaded. Unit has six mounting holes through back for front mounting.

Overall Dimensions:

18" x 5½" x 3" (457 x 140 x 76 mm)

130 RECESSED SHELF—REAR MOUNTING

Shelf 16 gauge type 304 stainless steel, corners welded and ground smooth. 1" (25 mm) wide beveled satin finish trim. Interior glass blasted finish. Unit has four studs welded on back for rear mounting.

Overall Dimensions: 18" x 7" x 4" (457 x 178 x 102 mm)

Wall Opening: 5¹/₂" × 16¹/₂" (141 × 419 mm)



140 REAR MOUNTING RECESSED SOAP DISH

Soap dish 16 gauge stainless steel type 304 with satin finish. One-piece drawn construction with beveled trim and embossments for air circulation and drainage. Unit has two "T" nuts welded on back for rear mounting.

Overall Dimensions: 7%" x 6" x 3" (187 x 152 x 76 mm)

Wall Opening: 6¹/₂" x 5 x 2³/₄" min (165 x 127 x 70 mm)



107 ONE-PIECE FRAMED MIRROR WITH ROUNDED CORNERS—FRONT MOUNTING

One-piece 18 gauge type 304 stainless steel formed mirror with #8 mirror polish finish, integral frame, rounded corners and six mounting holes.

Overall Dimensions: 12" x 16" x ¹/₄" (305 x 406 x 6 mm)



INDEX OF PRODUCTS BY CATEGORY

Page 83

80/83

79/82

83

83 82

82

Page 58/89

57/88

69/89

86

87

87

84/88

Page

50/51

50/51

50/51

50/52

50/52

50/52

17/50/52

17/50/52

50/51

17/50/52

68/69/89

For additional product suffix options use the index by model number at right.

BABY CHANGING STATIONS	HEALTHCARE
Model Page	Model P
9012 75 9013 16/75	0349 0350
9013-9 16/72/75	0515 80
9014 74 9015 74	0533-48 79
9015 74 9016 75	0546 0547
9017 74	0551
9017-9 74 9018 74	0556 0557
9018-9 74	0558-1
9020 75	0559 0952
CUSTODIAL	0952-B
ACCESSORIES	0953 8154
Model Page 0533-48 79/82	8155
1306 79	8156 8338
1307-3 78 1307-4 78	8339
1307-5 78	8340
1307-6 78 1308-3 78	HOSPITALITY
1308-3 78 1308-4 78	ACCESSORIES
1315-3 78/79	Model P
1315-4 79 1315-6 79	0259-SS 58 0712 57
8215-3 79	1201-A 68/69
8215-4 79 8215-5 79	1201-B 69 7306
	7307-18
FEMININE HYGIENE VENDORS	7307-24 7308
AND DISPOSALS	7312
Model Page	7313 7314
0464 53	7314-H
0468 53/54 0468-2 54	7315-H 7316
04684 54	7317
0472 55 0472-1 55	7317-S 7322
0473 55	7381
0473-1 55 0473-A 55	7383 84 7387
0473-1A 55	7388
0852 55 0864 53	20650 17/50
20470 14/55	MIRRORS
204684 16/54 204684-9 16/54	Model P
20852 14/55	0535 50
6468 31/53 64684 31/53	0537 0600 50
6471 31/54	0600T 50
9468 22 94684 22	0605 50 0620 50
9471 23/54	0625 50
CRAR RAPS	20650 17/50 20650-B
GRAB BARS Model Page	20655 17/50
3400/3500 66	20655-B 8026 50
3700/3800 66 3700-W 66	8287
3800-W 66	
3874 67 3874-M2337 67	
5574 ME007 07	
HAND DRYERS	
Model Page	
0134 28/44 0141 45	
0185-93 45	
0195 45 0197 44	
0198-93 44	
0198-MH 28/44/91 0199-93 44	
20199 17/44	
20200 17/42/43 20201 17/43	
64672 27/45 64672-1 27/45	
UTU/C-1 Z//40	

64672-1

27/45

PAPER TOV	VEL
DISPENSER	S
Model 0210	Page 39
0215	39
0245-SS 0439	39 39
0452	38
0452-9 0457	38 38
0457-9	38
045210A 045224	38 38
045224A	38
1002 20210	41 15
20210	15
204523A 6452	15
6452-9	30 30
6457	30
8165 8522	39 39
8523A	39
8523AC 8523A-SR4	39 39
8523AC-SR	4 39
9452 9457	22 22
94696	21
94696A	21
PAPER TOV	
DISPENSER & WASTE	IS
RECEPTACI	.ES
Model	Page
0462-AD 0462-AD-9	34 34
0467	36
0467-2 0467-9	36 36
0469	32/34
0469-2 0469-9	34 34
0469-BL	34
04692 04692A	35 35
046921	37
046921A 046924	37 37
046924A	37
046926 04697	36 35
04697-4	35
04697-9 04697-BL	35 35
1001	41
204623 204623-9	12 12
20469	10/12
20469-9 204692A	12 13
2046921A	13
645210A 6462	29 26
6462-2	20
6462-9 64623	26 28
64623-9	28
6467	24/26
6467-9 64672	26 27/45
64672-1 64672-2	27/45 27/45
64676	27
64676-2 64676-9	27 27
64696	27
64696-6 64696-9	29 29
nanyn-y	29
64696A	29
64696A 9462	20
64696A	
64696A 9462 94623	20 22

SECURITY ACCESSOI	RIES	SOAP Model
Model 101 101-13 101-14 101-17 104 105 105-13 105-14 105-17 105-31 107 110-1 110-1 110-1 110-1 122 127 128-1 129 130 140 158 159 160 161 162 163 164 165 166 167 168 169 170	Page 92 92 92 92 92 92 92 92 92 92 92 92 92	0326 0332 0332-C 0332-C 0332-C 0345 0347 0349 0350 0360 0361 0390-1 0390-6 0390-1 0390-6 0390-4 0390-8 0390-1 0390-6 0390-1 0391-6 0391-1 0391-6 0393-1 0393-6 0393-1 0393-6 0393-1 0393-6 0393-1 0393-6 0394-1 0394-1 0394-6 0394-1 0394-6 0394-1
SHELVES Model 0412 0690 0692 0694 0698 20692	Page 77 76 76/77 76/77 77 17/76/77	20364 20365 5001-S 5002 6326 9326 9343 SPECI/ ACCES Model
SHOWER/ ACCESSOI Model 0010 0398 0399 0400 0401 0410-Z 1200-SHU 1200-V 1201-A 1204 1214 1224 7404 7410 8202 8203-R 8205-L 8205-R 8206-L 8206-R 8207 8208-L 8208-R 8209 8358		0002-S 0002-S 00258-S 0259-S 0481 04813- 04823 0483 0484-H 0485 0712 0751-2 0751-2 0755-2 00000000000000000000000000

SOAP DISPENSERS	7355	58
Model Page	7382 7385	57 56
0326 48 0332 49	8425	56
0332-C 49	TOILET TISS	
0332-CD 49 0332-D 49	DISPENSER	
0345 49	Model	Page
0347 49	0030	62
0349 83 0350 82	0031 0032	62 62
0360 48	0032	63
0361 48 0362 48	0040	63
0390 47	0042 0263-1	63 64
0390-1A 47 0390-1AC 47	0264-1	64
0390-6-1A 47	0267 0402-Z	64 65
0390-6-1AC 47	0477	65
0390-ARK 47 0390-BR 47	0477-SM 0697-GAL	65 64
0390-R 47	0705-Z	65
0391-1A 47 0391-1AC 47	0710	64
0391-6-1A 47	0715 20030	64 15
0391-6-1AC 47 0393-1A 47	20031	15
0393-1A 47 0393-6-1A 47	20477-SM 6477	16/65 31
0393-1AC 47	7303	65
0393-6-1AC 47 0393-R 47	7305-2B	64
0394-1A 47	7305-2S 7305-B	64 64
0394-1A 47 0394-1AC 46/47	7305-S	64
0394-6-1A 47	7402 7402-H	63 63
0394-6-1AC 47	74022	63
20333 48 20363 49	74022-H 7403	60/63 64
20364 49	7403 7403-B	64
20365 49 5001-SS 48	7403-S	64
5002 48	9030 9031	23/62 23
6326 31	9477	23
6326 31 9326 23 9343 16/23/49	9477 9477-SM	23 23
9326 23 9343 16/23/49	9477 9477-SM R-009	23
9326 23 9343 16/23/49 SPECIALTY	9477 9477-SM R-009 WASTE	23 23 64/65
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES	9477 9477-SM R-009 WASTE RECEPTACL	23 23 64/65 ES
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 57	9477 9477-SM R-009 WASTE	23 23 64/65
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57	9477 9477-SM R-009 WASTE <u>RECEPTACL</u> Model 4004 0458	23 23 64/65 ES Page 41 38
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89	9477 9477-SM R-009 WASTE <u>RECEPTACL</u> Model 4004	23 23 64/65 ES Page 41
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0259-SS 58/89 0481 59	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810	23 23 64/65 ES Page 41 38 38 38 38 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59	9477 9477-SM R-009 WASTE <u>RECEPTACL</u> Model 4004 0458 0458-9 04733 0810 0811	23 23 64/65 ES Page 41 38 38 38 38 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 04813 59 04813-HC 59	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813	23 23 64/65 ES Page 41 38 38 38 38 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825	23 23 64/65 ES Page 41 38 38 38 38 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04813 59 04813 59 04823 59 04823 59 04823 59 04823 59	9477 9477-SM R-009 WASTE <u>RECEPTACL</u> Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0812 0813 0825 0826 0827	23 23 64/65 ES Page 41 38 38 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58(89) 0481 59 04813 59 04813 59 04813 59 0482 59 0482 59 04823 59 048234 58 0483 59	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0828	23 23 64/65 ES Page 41 38 38 38 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59 0482 59 04823 59 04823 59 04823 59 04833 59 04833 59 04833 59 0483 58	9477 9477-SM R-009 WASTE <u>RECEPTACL</u> Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0812 0813 0825 0826 0827	23 23 64/65 ES Page 41 38 38 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04823 59 04823 59 04823 59 04823 59 04833 59 04833 59 0483 58 0484 58 0484 58 0484 58	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0828 0829 1000 1000A	23 23 64/65 ES Page 41 38 38 38 38 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04823 59 04823 59 04823 59 0483 59 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0485 58 0486 58	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0812 0813 0825 0826 0825 0826 0827 0828 0829 1000	23 23 64/65 ES Page 41 38 38 38 38 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04813 59 04813 59 04823 59 04823 59 04823 59 0483 58 0483 58 0484 58 0485 58 0485 58 0485 58 0486 58 0486 58 0486 58 0486 58 0486 58 0486 58	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0828 0829 1000 1000A 1000A 1000A 1000A 1000A	23 23 64/65 ES Page 41 38 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 41 41 41 41 41 41
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04823 59 04823 59 04823 59 0483 59 0484 58 0483 59 0484 58 0484 58 0484 58 0484 58 0485 58 0486 58 0486 58 0712 57/88 0714 56	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0825 0826 0827 0828 0829 1000 1000A 10003 20458	23 23 64/65 ES Page 41 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04823 59 04823 59 04823 59 04833 59 0484 58 0485 58 0485 58 0712 57/88 0714 56 0719 56 0721-Z 57	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0828 0825 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826 20826-T 6459 6474	23 23 64/65 ES Page 41 38 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0258-SS 58 0259-SS 58/89 0481 59 04813-HC 59 04823 59 04823 59 04823 59 04823 59 04833 59 0484 58 0485 58 0486 58 0486 58 0712 57/88 0714 56 0719 56 072-Z 57	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0828 0829 1000 1000A 10000A 1000A 1000A 1000A 10000	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0025-ASS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04823 59 04823 59 04833 59 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0484 58 0485 58 0486 58 0712 57 0735-Z 57 0745-Z 56	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 10003 20458 20826 20826-T 6459 6474 6474-2 9459 94623	23 23 64/65 ES Page 41 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04813 59 04823 59 04823 59 04823 59 04833 59 0485 58 0712 57/88 0714 56 0719 56 0721-Z 57 0735-Z 57 0745-Z 56 0745-Z 56 0745-Z 56	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0828 0829 1000 1000A 10000A 1000000 00000000	23 23 64/65 ES Page 411 38 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04823 59 04823 59 04833 59 0484 58 0483 59 0484 58 0484 58 0484 58 0484 58 0484 58 0483 59 0484 58 0484 58 0485 58 0486 58 0714 56 0719 56 0721-Z 57 0740-Z 56 0745-Z 56 0755-SS 58	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 10003 20458 20826 20826-T 6459 6474 6474-2 9459 94623	23 23 64/65 ES Page 41 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 04813 59 04813 59 04813 59 0482 59 04823 59 04823 59 04823 59 04833 59 0484 58 0485 58 0712 57/88 0712 57 0755-Z 58 0755-Z 59	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826-T 6459 6474 6474-2 9459 94696 946966	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/99 0481 59 04813 59 04813 59 04813 59 04823 59 04823 59 04833 59 0484 58 0483 59 0484 58 0485 58 0486 58 0714 56 0712 57/88 0713 56 0721-Z 57 0735-Z 57 0751-A 57 0751-A 57 0755-S 58 0785-Z 56 0755-Z 59 0760-Z 58	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826-T 6459 6474 6474-2 9459 94696 946966	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0025-ASS 58 0259-SS 58/89 0481 59 0481 59 04813 59 0482 59 04823 59 04823 59 0483 59 0484 58 0483 59 0484 58 0484 58 0485 58 0486 58 0712 57/88 0714 56 0721-Z 57 0740-Z 56 0751 57 0745-Z 56 0751-A 57 0755-S 58 0755-Z 59 0760-Z 58 0785-Z 56/57 07301<	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826-T 6459 6474 6474-2 9459 94696 946966	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/99 0481 59 04813 59 04813 59 04813 59 04823 59 04823 59 04833 59 0484 58 0483 59 0484 58 0485 58 0486 58 0714 56 0712 57/88 0713 56 0721-Z 57 0735-Z 57 0751-A 57 0751-A 57 0755-S 58 0785-Z 56 0755-Z 59 0760-Z 58	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826-T 6459 6474 6474-2 9459 94696 946966	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0002-ASM 57 0025-ASS 58 0259-SS 58/89 0481 59 0481 59 04813 59 04813 59 0482 59 04823 59 04823 59 0483 59 0484 58 0485 58 0486 58 0471 56 0712 57/88 0714 56 0751-Z 57 0755-SS 58 0755-SS 58 0755-Z 59 0760-Z 56 0755-Z 59 0760-Z 56 0755-Z 58 0755-Z 56/57 7301 57 0	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826-T 6459 6474 6474-2 9459 94696 946966	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40
9326 23 9343 16/23/49 SPECIALTY ACCESSORIES Model Page 0002-SM 57 0025-SS 58 0259-SS 58/89 0481 59 0481 59 04813 59 04823 59 04823 59 04823 59 04833 59 0484 58 0483 59 04823 59 04823 59 0483 59 0484 58 0483 59 0484 58 0714 56 0719 56 0714 56 0719 56 0740-Z 56 0740-Z 56 0751-A 57 0755-S 58 0785-Z 56/57 040-Z 58 0785-Z	9477 9477-SM R-009 WASTE RECEPTACL Model 4004 0458 0458-9 04733 0810 0811 0812 0813 0825 0826 0827 0826 0827 0828 0829 1000 1000A 1000A 1000A 1003 20458 20826-T 6459 6474 6474-2 9459 94696 946966	23 23 64/65 ES Page 411 38 38 38 40 40 40 40 40 40 40 40 40 40 40 40 40

INDEX OF PRODUCTS BY MODEL NUMBER

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL PAGE	MODEL	PAGE	MODEL PAGE
0002-SM	57	045224AC	38	0556	83	1307-3 78	64623-9	28	8215-3 79
	57				83				
0002-ASM		045224AC-6		0557			6467	24/26	8215-4 79
0010	70	045224AC-9		0558-1	83	1307-5 78	6467-9	26	8215-5 79
0030	62	0457	38	0559	83	1307-6 78	64672	27/45	8287 52
0031	62	0457-9	38	0600	50/51	1308-3 78	64672-1	27/45	8338 82
0032	62	0458	38	0600T	50/51	1308-4 78	64672-2	27/45	8339 82
0039	63	0458-9	38	0605	50/52	1315-3 78/79	64676	27	8340 82
0040	63	0462-AD	34	0620	50/52	1315-4 79	64676-2	27	8358 70
0042	63	0462-AD-9	34	0625	50/52	1315-6 79	64676-9	27	8425 56
0134	28/44	0464	53	0690	76	20030 15	6468	31/53	8522 39
0141	45	0467	36	0692	76/77	20031 15	64684	31/53	8523A 39
0185-93	45	0467-2	36	0694	76/77	20199 17/44	64696	29	8523AC 39
0195	45	0467-9	36	0697-GAL	64	20200 17/42/43	64696-6	29	8523A-SR4 39
0197	44	0468	53/54	0698	77	20201 17/43	64696-9	29	8523AC-SR4 39
0198-93	44	0468-2	54	0705-Z	65	20210 15	64696A	29	9012 75
0198-MH 2	28/44/91	04684	54	0710	64	20333 48	64696A-6	29	9013 16/75
0199-93	44	0469	32/34	0712	57/88	20363 49	64696A-9	29	9013-9 16/72/75
0210	39	0469-2	34	0714	56	20364 49	64696AC	29	9014 74
0215	39	0469-9	34	0715	64	20365 49	64696AC-6	29	9015 74
0245-SS	39	0469-BL	34	0719	56	20452 15	64696AC-9	29	9016 75
0258-SS	58	04692	35	0721-Z	57	204523A 15	6471	31/54	9017 74
0259-SS	58/89	04692-6	35	0735-Z	57	204523A-6 15	6474	30	9017-9 74
0263-1	64	04692-9	35	0740-Z	56	204523A-9 15	6474-2	30	9018 74
0264-1	64	04692A	35	0745-Z	56	204523AC 15	6477	31	9018-9 74
0267	64	04692A-6	35	0751	57	204523AC-6 15	7301	57	9020 75
0326	48	04692A-9	35	0751-A	57	204523AC-9 15	7303	65	9030 23/62
0332	49	04692AC	35	0755-SS	58	20458 14	7305-2B	64	9031 23
0332-C	49	04692AC-6	35	0755-Z	59	204623 12	7305-2S	64	9326 23
0332-CD	49	04692AC-9	35	0760-Z	58	204623-9 12	7305-B	64	9343 16/23/49
0332-D	49	046921	37	0785-Z	56/57	204684 16/54	7305-S	64	9452 22
0345	49	046921-6	37	0810	40	204684-9 16/54	7306	89	9457 22
0347	49	046921-9	37	0811	40	20469 10/12	7307-18	89	9459 22
0349	83	046921A	37	0812	40	20469-9 12	7307-24	89	9462 20
0350	82	046921A-6	37	0813	40	204692A 13	7308	86	94623 22
0360	48	046921A-9	37	0825	40	204692A-6 13	7310	59	9467 21
0361	48	046921AC	37	0826	40	204692A-9 13	7311	59	94676 21
0362	48	046921AC-6	3 7	0827	40	204692AC 13	7312	86	9468 22
0390	47	046921AC-9		0828	40	204692AC-6 13	7313	86	94684 22
0390-1A	47	046924	37	0829	40	204692AC-9 13	7314	87	9469 18/20
0390-1AC	47	046924-6	37	0852	55	2046921A 13	7314-H	87	94696 21
0390-6-1A	47	046924-9	37	0864	53	2046921A-6 13	7315-H	87	94696A 21
0390-6-1AC		046924A	37	0952	82	2046921A-9 13	7316	86	94696A-6 21
0390-ARK	47	046924A-6	37	0952-B	82	2046921AC 13	7317	87	94696A-9 21
0390-BR	47	046924A-9	37	0953	82	2046921AC-6 13	7317-S	87	94696AC 21
0390-R	47	046924AC	37	101	92	2046921AC-9 13	7320	57	94696AC-6 21
0391-1A	47	046924AC-6		101-13	92	20470 14/55	7322	88	94696AC-9 21
0391-1AC	47	046924AC-9		101-14	92	20477-SM 16/65	7335	57	9471 23/54
0391-6-1A	47	046926	36	101-17	92	20650 17/50/52	7340	56	9474 22
0391-6-1AC		04697	35	101-31	92	20650-B 50	7345	56	9477 23
0393-1A	47	04697-4	35	104	92	20655 17/50/52	7355	58	9477-SM 23
0393-6-1A	47	04697-9	35	105	92	20655-B 50	7381	88	R-009 64/65
0393-1AC	47	04697-BL	35	105-13	92	20692 17/76/77	7382	57	
0393-6-1AC		0472	55	105-14	92	20826 14	7383	84/88	
0393-R	47	0472-1	55	105-17	92	20826-T 14	7385	56	
0394-1A	47	0473	55	105-31	92	20852 14/55	7387	88	
0394-1A	47	0473-1	55	107	93	3400 SERIES 66	7388	88	
0394-1AC 0394-6-1A	46/47 47	0473-A 0473-1A	55 55	110 110-1	91 91	3500 SERIES 66 3700 SERIES 66	7402 7402-H	63 63	
0394-6-1A 0394-6-1AC		0473-TA 04733	55 38	110-1 110-A	91	3700 SERIES 66 3700-W 66	7402-H 74022	63	
0394-6-TAC 0398	, 47 68	04733	38 65	110-A	91	3700-W 66 3800 SERIES 66	74022 74022-H	60/63	
0399	68	0477-SM	65	120	90	3800-W 66	74022-11	64	
0333	68	0481	59	127	93	3874 67	7403 7403-B	64	
0400	68	0481-HC	59	127	90	3874 07 3874-M2337 67	7403-B 7403-S	64	
0402-Z	65	04813	59	120-1	92	4004 41	7403-0	69	
0410-Z	68	04813-HC	59	130	93	5001-SS 48	7410	69	
0412	77	0482	59	140	93	5001-00 48	8026	50/51	
0439	39	04823	59	165	91	6326 31	8154	82	
0452	38	048234	58	170	90	6452 30	8155	82	
0452-9	38	0483	59	1000	41	645210A 29	8156	82	
045210A	38	04833	59	1000A	41	645210A-6 29	8165	39	
045210A-6	38	0484	58	1000	41	645210A-9 29	8202	71	
045210A-9	38	0484-HC	58	1002	41	645210AC 29	8203	71	
045210AC	38	0485	58	1002	41	645210AC-6 29	8204	71	
045210AC-6		0486	58	1200-SHL		645210AC-9 29	8205-L	71	
045210AC-9		0515	80/83	1200-0110	70	6452-9 30	8205-R	71	
045224	38	0533-48	79/82	1201-A	68/69/89	6457 30	8206-L	71	
045224-6	38	0535	50/51	1201-B	69/89	6459 30	8206-R	70/71	
045224-9	38	0537	50	1204	69	6462 26	8207	71	
045224-5	38	0546	83	1214	69	6462-2 26	8208-L	70/71	
045224A-6	38	0547	83	1224	70	6462-9 26	8208-R	70/71	
045224A-9	38	0551	83	1306	79	64623 28	8209	71	





441 Saw Mill River Rd., Yonkers, NY 10701 914.476.9000 • americanspecialties.com

@ 2016 American Specialties, Inc., an ASI Group Company

ASI103290716-2